

THE FEDERAL DEMOCRATIC REPUBLIC OF ETHIOPIA
CENTRAL STATISTICAL AUTHORITY

AGRICULTURAL SAMPLE SURVEY

2000/01 (1993 E.C.)

VOLUME V

REPORT ON

AREA AND PRODUCTION OF
BELG SEASON CROPS

FOR

PRIVATE PEASANT HOLDINGS

ADDIS ABABA
FEBRUARY 2002

245

STATISTICAL BULLETIN

245

000121 C-3/5 23/11/94


THE FEDERAL DEMOCRATIC REPUBLIC OF ETHIOPIA
CENTRAL STATISTICAL AUTHORITY

AGRICULTURAL SAMPLE SURVEY

2000/01 (1993 E.C.)

VOLUME V

REPORT ON



AREA AND PRODUCTION OF BELG SEASON CROPS

FOR

PRIVATE PEASNT HOLDINGS

ADDIS ABABA
FEBRUARY 2002

245 STATISTICAL BULLETIN 245

የፌዴራል ዲሞክራሲያዊ ሪፐብሊክ
የብሔራዊ ምርመራ ማኅበር
አዲስ አበባ

CONTENTS

	<u>PAGE</u>
List of Tables	ii
List of Figures	iv
PART I. INTRODUCTION AND OBJECTIVE OF THE SURVEY.....	1
1. Introduction.....	1
2. Objective of the Survey.....	1
PART II. SURVEY METHODOLOGY, DATA COLLECTION AND PROCESSING.....	3
1. Scope, Coverage and Content of the survey.....	3
2. Basic Concepts and Definitions.....	4
3. Sample Design.....	5
4. Field organization.....	6
5. Training of Field Staff.....	6
6. Method of Data Collection.....	7
7. Data Processing	8
a. Editing, Coding and Verification.....	8
b. Data Entry, Cleaning and processing.....	8
PART III.....	9
1. Summary of the results of the 2000/01 (1993 E.C.) SEASON.....	9
2. Results of 2000/01 (1993 E.C.) Both Seasons (Meher and Belg).....	10
3. Comparison of 1999/00 and 2000/01 of Both Seasons (Meher and Belg), Area and production of Major crops.....	12
Appendix I. Estimation Procedures of Total and Sampling Errors.....	31
Appendix II. Standard Errors and Coefficient of Variation for Estimates.....	37
Appendix III. Survey questionnaires.....	45

LIST OF TABLES

	<u>PAGE</u>
Table A.	
Area Coverage of the 2000/01 (1993 E.C.) Agricultural Sample Survey.....	3
Summary Table A	
Estimates of total Area and Production of major Belg crops for private peasant Holdings in Ethiopia, 2000/01(1993 E.C.).....	9
Summary Table B.	
Total Area and Production of Major Crops for private peasant Holdings in Ethiopia, both seasons 2000/01 (1993 E.C.).....	12
Summary Table C.	
Total Area, Production and Percent Change of Major Crops for Private Peasants Holdings In Ethiopia, both seasons 1999/00 (1992 E.C.) and 2000/01 (1993 E.C.).....	13
Summary Table D.	
Total Area, Production and Percent Change of Major Crops for Private Peasants Holdings in Ethiopia, Belg seasons 1999/00 (1992 E.C.) and 2000/01 (1993 E.C.).....	13
Table 1. Estimates of 1999/00(1992 E.C) and 2000/01(1993 E.C) Area, Production and of Major Belg Season crops for Private Peasant Holdings in Ethiopia...	15
Table 2. Estimates of 1999/00(1992 E.C) and 2000/01(1993 E.C) Area, Production and of Major Belg Season crops for Private Peasant Holdings by Regions.....	16
Table 3. Estimates of total Area, Production and percent share of Belg for 2000/01 (1993 E.C.) For Private Peasant Holdings in Ethiopia, by Regions.....	17
Table 4. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Ethiopia.....	18
Table 5. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Tigray Region.....	19

Table 6. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Afar Region.....	20
Table 7. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Amhara Region.....	21
Table 8. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Oromiya Region.....	22
Table 9. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Somale Region	23
Table 10. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Benshangul-Gumz Region.....	24
Table 11. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in S.N.N.P.R Region.....	25
Table 12. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Gambela Region.....	26
Table 13. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Harari Region.....	27
Table 14. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Addis Ababa Region.....	28
Table 15. Estimates of Area, Production, their percent distribution and yield for 2000/01 (1993 E.C.) Belg season crops for Private Peasant Holdings in Dire Dawa Region.....	29

LIST OF FIGURES

	<u>Page</u>
Figure 1. Estimates of total Area under Major Crops for Private Peasant Holdings In Ethiopia, both Seasons, 2000/01 (1993 E.C.).....	11
Figure 2. Estimates of total Production of Major Crops for Private Peasant Holdings In Ethiopia, both Seasons, 2000/01 (1993 E.C.).....	11

PART I

INTRODUCTION AND OBJECTIVE OF THE SURVEY

1. INTRODUCTION

Agriculture plays a major role in the economy of Ethiopia. It accounts for about 55 percent of the GDP, 80 percent of the employment and 60 percent of the exports. Hence, the collection of reliable, comprehensive and timely statistical information in this sector is considered essential for the formulation, planning and assessment of agricultural development plans. The seriously inadequate supply of reliable statistical data will adversely affect the ability of planners and policy makers in their decision-making process.

The Central Statistical Authority (CSA) has been conducting the Agricultural Sample Survey (AgSS) on an annual basis since the 1980/81 (1973 E.C.) crop seasons to provide the essential statistical data needed by decision-makers in Ethiopia. This Belg Season Report is Volume V of the series of reports that constitutes the published estimates derived from the AgSS data collection. The contents of this report include: Objectives of the survey, coverage and content of the survey, sample design, field organization, training of field staff, and method of data collection; and survey summary results on area, production and yield of major Belg Season crops for 2000/2001 (1993 E.C.).

It should be noted that the 2000/2001 (1993 E.C.) Agricultural Sample Survey was designed in such away that it allows more precise inference not only at the national and regional levels, but also at zonal level.

2. OBJECTIVES OF THE SURVEY

The general objective of the survey is to collect basic quantitative information on Ethiopia's agriculture. This information is essential for economic development planning and socio-economic policy formulation.

In a micro-perspective, the objectives of this survey are to estimate the total cultivated land; total production and yield per hectare of major crops for both the Meher and Belg Seasons. Data on area under different land uses; and quantity and cost of agricultural inputs by type for both seasons is also collected. From the sample, the number of livestock and poultry by type, purpose, sex and age, and number of beehives in the private peasant holdings are estimated at the national and regional levels.

2. OBJECTIVE OF THE SURVEY

The primary objective of the survey is to collect basic quantitative information on Ethiopia's agriculture. This information is essential for economic development planning and economic policy formulation.

PART II

SURVEY METHODOLOGY, DATA COLLECTION AND PROCESSING

1. SCOPE, COVERAGE AND CONTENT OF THE SURVEY

The 2000/2001 (1993 E.C.) annual AgSS covers only the sedentary rural agricultural population in all regions of the country. A total of 55 zones and 412 Weredas were covered in the survey. The areal coverage of the survey is given in Table A.

A total of 1,430 enumeration areas were selected to be covered in the survey in all regions. Due to various reasons, 9 EAs were not covered in the survey. Thus during the data collection stage the survey succeeded to cover only 1421 enumeration areas (EAS) for Belg Season Survey. In each EA a sample of 40 agricultural households, where only the first 25 sampled agricultural households were used for obtaining information on area and production of major Belg Crops.

TABLE A. AREAL COVERAGE OF THE 2000/2001 (1993 E.C.)
AGRICULTURAL SAMPLE SURVEY

REGION	NUMBER OF ZONES		NUMBER OF WEREDAS COVERED IN THE SURVEY
	TOTAL	COVERED IN THE SURVEY	
TIGRAY ¹	5	4	33
AFAR ²	5	2	5
AMHARA	11	10	92
OROMIA	12	12	170
SOMALE ³	9	3	9
BENSHANGUL-GUMUZ	3	3	18
S.N.N.P.R.	14	14	73
GAMBELA	4	3	5
HARARI	1	1	1
A.ABABA ⁴	6	2	5
DIRE DAWA	1	1	1
TOTAL	71	55	412

Notes

- 1- In Tigray Region, four out of five zones have rural settled population. In the remaining one zone the entire population is urban residents.
- 2- Afar region has a total of five zones, however only two zones have significant rural sedentary population.
- 3- Somalie Region has a total of nine zones, however only three zones have significant rural sedentary population.
- 4- Addis Ababa has a total of six zones, however, only two zones have rural settled population. In the remaining four zones the entire population is urban residents.

S.N.N.P.R. = Southern Nations, Nationalities and peoples Region

2. BASIC CONCEPTS AND DEFINITIONS

The definitions of concepts and terminology used for the collection of all AgSS questionnaire data are as follows:

Enumeration Area (EA): An Enumeration Area in rural parts of the Country is a locality that is less than or equal to a farmer's association area and usually it consists of 150-200 households.

Household: - A household may be either;

- a) a one person household, that is a person who makes provision for his own food or other essentials for living without combining with any other person to form part of a multi person household or
- b) a multi person household, that is, a group of two or more persons who live together and make common provision for food or other essentials for living. The persons in the group may pool their incomes and have a common budget to greater or lesser extent. They may be related or unrelated persons, or a combination of both.

Agricultural Household: - A household is considered an agricultural household when at least one member of the household is engaged in growing crops and/or breeding and raising livestock in private or in partnership with others.

Holder: - A holder is a person who exercises management control over the operations of the agricultural holding and takes the major decision regarding the utilization of the available resources. He has technical and economic responsibility for the holding. He may operate the holding directly as an owner or as a manager.

Under conditions of traditional agricultural holding the holder may be regarded as the person, who with or without help, of others, operates land or raises livestock in his own right. That is, the person who decides on what, when, where and how to grow crops or raise livestock and has right to determine the utilization of the products.

Holding: - A holding is all the land and livestock kept which is used wholly or partly for agricultural production and is operated as one technical unit by one person alone, or with others, without regard to title, legal form, size or location.

Parcel: - A parcel of holding is any piece of land entirely surrounded by land, water, road, forest, ... etc. which is not part of the holding. It may consist one or more cadastral units, plots or field adjacent to each other.

Field: - A field is defined as any plot of land which is a parcel or part of a parcel under the same crop.

Belg Season crops: - are defined as any crops that are harvested during the months of March (Megabit) to August (Nehase).

Meher Season Crops: - are those crops that are harvested during September (Meskerem) to February (Yekatit) are considered as main (Meher) season crops.

3. SAMPLE DESIGN

A two-stage stratified sample design is used for the 2000/2001 (1993 E.C.) Annual Agricultural Sample Survey. All regions except Harari, Addis Ababa, Dire Dawa and Gambella are broken into zones and treated as strata/reporting levels for survey summarization purposes, but for the four mentioned regions, the reporting levels are the regions themselves. The sample design first-stage consists of primary sampling units (PSUs) in all strata which are enumeration areas (EAs). The second-stage sampling units are agricultural households selected as the secondary level sampling units. The survey questionnaires are administered to all agricultural holders in the sampled agricultural households.

Based on cost and field enumeration considerations, a fixed number of sample EAs were allocated to each stratum/reporting level taking into consideration the desired precision of the estimates and number of households per stratum. The overall sample number of EAs in a stratum was proportionately allocated to zones/special weredas within stratum based on their number of households. From within each Zone /Special Werda sample EAs were selected with probability proportional to size, size being the total number of households identified for EAs as obtained from the 1994 Population Census. From each sample EA, 40 agricultural households

were sampled systematically without replacement from a newly enumerated list of agricultural households.

Information was collected from the first twenty-five households except for crop-cutting data that is collected from 15 agricultural households, starting from the 11th selected agricultural households. Data is collected on separate questionnaires from each holder within these twenty-five sampled households.

The estimation formulation procedures for totals and ratios of the agricultural variables estimated and the measure of precision for area and production are presented in the *Appendix I and II*.

4. FIELD ORGANIZATION.

CSA branch statistical office heads, field supervisors and enumerators, other support staff and drivers were all involved in the conduct of the AgSS area and production survey data collection effort. To accomplish the data collection all field enumerators were equipped with the necessary survey equipment (i.e. compass, protractor, ruler, measuring tape, balance scale, poles, ropes, sample bags, ...etc.) at the completion of training. To assist with the field work and data collection activities all available four-wheel drive vehicles were used if or supervision and collection of completed questionnaires.

5. TRAINING OF FIELD STAFF

The field staff training program was carried out in two stages. The first stage consisted of trainees from the head office, Branch Statistical Office heads and some of the field supervisors being given training for one week at CSA's headquarters complex in Addis Ababa. Many of those trained in the first stage conducted similar training for field supervisors and enumerators for 10 days in all of CSA's 22 branch offices, which are distributed around the country. During the second - stage training, the field staff were given detailed classroom instruction on the objectives and uses of the AgSS, concepts and definitions of terms used, the method of area measurement, method of crop cutting, as well as correct interviewing procedures, ...etc. The enumerators' training also included a field practice to reinforce the concepts discussed in the classroom with regard to field measurement and crop cutting data collection.

6. METHOD OF DATA COLLECTION.

The information of area and production of major Belg Season crops, agricultural practices (uses of fertilizer, pesticide, improved seed and irrigation) were subjectively collected by interviewing the holders of sampled households.

A major characteristic of Ethiopian agriculture is the two well-known crop production seasons referred to as the Meher (or main) and Belg Seasons. The generally accepted definition of the Meher season is that of the long rainy season, which normally occurs from June to September. The Belg Season most often refers to small but timely rainy season, which normally occurs from February to May but in limited areas of the country. Generally, The Meher Season rainy period provides ideal growing conditions for the longer maturing crops. Planting and harvest of Meher crops can extend to December or January in some area. Most of the time holders rely on short maturing crops for planting during the Belg rainy period and harvest of the crops is in June or July.

A point of contention arises with respect to the pure definition of the Belg crop. Belg cropping practices are heterogeneous across different portions of the country. The nature of the sowing period also overlaps with some of the Meher Season crops. Consequently, the report on Belg Season crops in the past faced a problem of a clearly defined growing period. It is important not to overlook or miss agricultural practices performed all year round due to use of irrigation or soil moisture from sufficiently dried areas that from time-to-time are swampy or marshy. To help clarify the two-crop season, the following definition has been in use since 1987/88:

Belg Season crops were defined as any crops that are harvested during the months of March to August, while those crops that are harvested during September to February are considered Meher (or main) season crops.

This report consists of estimates of area, production and yield per hectare of major Belg Season crops for the year 2000/2001 (1993 E.C). The data collection period for obtaining the area, production and agricultural practices of the Belg season crops ranged from Genbot 15-30, 1993 E.C (ie. From May 23-June 7, 2000). Differing from Meher Season objective crop-cutting methodology, the Belg production estimation uses subjectively obtained data based on face - to - face interviewing of the holder by the enumerator. Subjective data on local units require

conversion to an equivalent metric units using the conversion factors available for local units at Woreda level prepared by CSA's Natural Resources and Agricultural Statistics Department (NASD). The conversion factors came from experimentally derived data using actual holder cropped area and production data associated with each local units.

7. DATA PROCESSING

a. EDITING, CODING AND VERIFICATION

To insure the quality of the collected survey data an editing, coding, and verification instruction manual was written, and forty five editors, coders and verifiers were trained for one day to edit, code and verify the data using the aforementioned manual as a reference and teaching aid.

The enumerator completed questionnaires were edited, coded, and later verified by supervisors on a 100% basis before the questionnaires were sent to the data processing unit for data entry. The editing, coding and verification of all questionnaires was completed in five days.

b. DATA ENTRY, CLEANING AND TABULATION

Before starting data entry professional staff of Agricultural Statistics Department of Central Statistical Authority prepared edit specifications for use on personal computers utilizing the Integrated Microcomputer Processing System (IMPS) Software for data consistency checking purposes.

The Data on the coded questionnaires were then entered into the IMPS software on personal computers. The data was then checked and cleaned using the edit specifications prepared earlier for this purpose. Thirty four data encoders were involved in this total process and it took Seven days to complete the job.

Finally, tabulation was done on personal computers to produce results as indicated in the tabulation plan.

PART III.

1. SUMMARY OF THE RESULTS OF 2000/2001 (1993 E.C.)

Belg Season Crop Production survey


In this part of the report the estimates of Belg crop area and production for the 2000/2001 (1993 E.C.) are presented. Discussions on some of the major survey findings and other important points on the Belg season crop production survey are given below.

Based on the 2000/2001 (1993 E.C.) Belg season crop production survey results, it is estimated that about 927.65 thousand hectares of land was covered by major Belg crops. From these crop area, a total of 4232.28 thousand quintal of production was obtained at country level. Out of this total crop area, the highest which is about 786 thousand hectares were under cereals followed by pulses that covered about 136.31 thousand hectares, and about 5.35 thousand hectares were covered by others (mainly oil crops).

From the above mentioned total crop area an estimated production of about, 3948.51 and 277.73 thousand quintals of cereals, and pulses are obtained at country level, respectively.

SUMMARY TABLE A. ESTIMATES OF TOTAL AREA AND PRODUCTION OF MAJOR BELG CROPS FOR PRIVATE PEASANT HOLDINGS IN ETHIOPIA, 2000/2001 (1993 E.C)

Crop Type	Area		Production		Yield Qt/Ha
	In thousands (Ha.)	%	In thousands (Qt.)	%	
Cereal	786.00	84.73	3948.51	93.30	5.02
Pulses	136.31	14.69	277.73	6.56	2.04
Others	5.35	0.58	**	**	**
All Crops	927.65	100.00	4232.28	100.00	



Furthermore, in this report an attempt is made to compare the performance of Belg seasons of the year 1999/2000 (1992 E.C.) with that of the 2000/2001 (1993 E.C.) in terms of crop area, production and yield of major Belg season crops. (see Tables 1 and 2).

As indicated in Table 1, one can easily observe the relatively good performance of the 2000/2001 (1993 E.C.) Belg season crop production activities when compared to the previous year i.e. 1999/2000 (1992 E.C.) Belg area and production estimates. For instance, the total crop area and production of major Belg season crops showed an increase by 46.74 % and 23.54 % when compared with that of 1999/2000 (1992 E.C.) Belg seasons crop production estimates, respectively. While the increase in crop area ranges from 156.74 % for Teff to 51.65 % for maize, and the increase in production ranges from 248.33 % for sorghum to 1.35 % for oats. Of course, similar situation holds true when one considers the yield differences for the other crops when compared with that of 1999/2000 production estimates (for details see Table 1).

As it can be observed from the comparison made in both tables (Tables 1 and 2), one can easily conclude that the performance of the 2000/2001 (1993 E.C.) Belg season crop production activity was relatively better when compared to the previous years i.e. 1998/99 (1991 E.C.) and 1999/2000 (1992 E.C.).

2. Results of 2000/2001 (1993 E.C) Both Seasons (Meher and Belg)

In this section of the report, summary Tables B-D and Table 3 present the estimates of area and production of major crops for both Meher and Belg seasons.

The total area and production of major crops in 2000/2001 (1993 E.C.) both seasons, was estimated to be 10.37 million hectares and 110.39 million quintals.

Out of the above mentioned totals 0.93 (8.96%) million hectares and 4.23 (3.83%) million quintals was the contribution of Belg season. (For the details see Figs 1 and 2, and Summary Tables B and C).

Crop	Area (Million Hectares)	Production (Million Quintals)
All Crops	10.37	110.39
Belg Season	0.93	4.23
Meher Season	9.44	106.16






Figure 1. Estimates of total area under major crops for private holdings in Ethiopia for both seasons 2000/02(1993 E.C.)



Out of the total output of major crops (both Meher and Belg seasons) of 2000/2001 (1993 E.C) area of cereals accounted for 8.43 (81.29%) million hectares with a production of 96.91(87.79 %) million quintals.

Fig 2. Estimates of total Production of major crops for private holdings in Ethiopia for both Seasons 2000/01 (1993 E.C.)



About 1.36 (13.12%) million hectares with a production of 11.01 (9.97%) million quintals accounted for pulses, and 0.58 (5.59 %) million hectares with a production of 2.47 (2.24 %) million quintals accounted for other crops (mainly oilseeds) (for details see summary Table B).

SUMMARY TABLE B. TOTAL AREA AND PRODUCTION OF MAJOR CROPS FOR PRIVATE PEASANT HOLDINGS IN ETHIOPIA BOTH SEASONS, 2000/2001 (1993 E.C)

TYPE OF CROP	AREA IN MILLION HECTARES					
	MEHER	%	BELG	%	BOTH	%
CEREALS	7.64	80.93	0.79	84.95	8.43	81.29
PULSES	1.23	13.03	0.13	13.98	1.36	13.12
OTHERS	0.57	6.04	.01	1.07	0.58	5.59
TOTAL	9.44	100	0.93	100	10.37	100

TYPE OF CROP	PRODUCTION IN MILLION QUINTALS					
	MEHER	%	BELG	%	BOTH	%
CEREALS	92.96	87.57	3.95	93.38	96.91	87.79
PULSES	10.74	10.12	0.27	6.38	11.01	9.97
OTHERS	2.46	2.31	**	**	2.47	2.24
TOTAL	106.16	100	4.23	100	110.39	100

3. Comparison of 1999/2000 and 2000/2001 of Both Seasons (Meher and Belg), Area and production of Major Crops

Comparison of the total area and production of 1999/2000 (1992 E.C) and 2000/2001 (1993 E.C) was made for both seasons and Belg season separately, in summary Tables C and D, respectively.



SUMMARY TABLE C. TOTAL AREA, PRODUCTION AND PERCENT CHANGE OF MAJOR CROPS FOR PRIVATE PEASANT HOLDINGS IN ETHIOPIA, BOTH SEASONS 1999/2000 (1992 E.C.) AND 2000/2001 (1993 E.C.)

TYPE OF CROP	BOTH SEASONS					
	AREA IN MILLION HECTARES			PRODUCTION IN MILLION QUINTALS		
	1999/2000 (1992 E.C.)	2000/2001 (1993 E.C.)	% age CHANGE	1999/2000 (1992 E.C.)	2000/2001 (1993 E.C.)	% age CHANGE
CEREAL	7.20	8.42	16.94	80.12	96.91	20.96
PULSES	1.22	1.37	12.30	10.30	11.01	6.89
OTHERS	0.43	0.58	34.88	1.90	2.47	30
TOTAL	8.85	10.37	17.17	92.32	110.39	19.57

Accordingly, the 2000/2001 (1993 E.C) both seasons' total outputs of the major crops have increased by 17.17 % in area, and by 19.57% in production as compared to the previous year. Similarly the 2000/2001 (1993 E.C) total area for major Belg season crops have relatively increased by 47.62 % and by 23.32 % for production when compared to last year's estimate (for details refer summary Table D).

SUMMARY TABLE D. TOTAL AREA, PRODUCTION AND PERCENT CHANGE OF MAJOR CROPS FOR PRIVATE PEASANT HOLDINGS IN ETHIOPIA, BELG SEASON 1999/2000 (1992 E.C.) AND 2000/2001 (1993 E.C.)

TYPE OF CROP	BELG SEASONS					
	AREA IN MILLION HECTARES			PRODUCTION IN MILLION QUINTALS		
	1999/2000 (1992 E.C.)	2000/2001 (1993 E.C.)	% age CHANGE	1999/2000 (1992 E.C.)	2000/2001 (1993E.C.)	% age CHANGE
CEREALS	0.46	0.79	71.74	2.71	3.95	45.76
PULSES	0.17	0.13	-23.53	0.71	0.27	-61.97
OTHERS	0.002	0.01	400.00	**	**	**
TOTAL	0.63	0.93	47.62	3.43	4.23	23.32

Comparisons of the total area and production of 1999/2000 (1992 E.C.) with 2000/2001 (1993 E.C.) and 2000/01 (1993 E.C.) for both seasons were made for Belg reporting regions, and are presented in Table 2 and Table3.

NOTES:-

1. Some estimates in all reporting levels are excluded due to high coefficient of variations. Nevertheless, they are incorporated in the total estimates. Hence the sum of the specific estimates may not be equal to the total estimates.
2. Users are also advised to use those estimates with 30-50% coefficient of variation (CV) cautiously
3. Even though area is reported for some crops in some reporting leveles, no production data is available such cases are designated by Not Stated (NS). On the other hand, in all tables "-"- labeled for data not available totally.
4. In all tables "***" indicates that the data are not reliable due to high coefficient of variation which is greater than 50%

CROP	AREA IN MILLION HECTARES			PRODUCTION IN MILLION QUINTEALS		
	1999/2000 (1992 E.C.)	2000/2001 (1993 E.C.)	CHANGE	1999/2000 (1992 E.C.)	2000/2001 (1993 E.C.)	CHANGE
WHEAT	11.76	11.76	0.00	17.5	17.5	0.00
RICE	0.12	0.12	0.00	0.37	0.37	0.00
OTHERS	0.01	0.01	0.00	**	**	**
TOTAL	11.89	11.89	0.00	17.87	17.87	0.00

Table 1. Estimates of 1999/2000 (1992 E.C.) and 2000/01 (1993 E.C.) Area, Production and Yield of major Belg Season crops for peasant holdings in Ethiopia

Crop Type	Total Area ('000 Ha)			Total Production ('000 Qt)			Yield		
	1999/00 (1992 E.C.)	2000/02 (1993 E.C.)	% Change	1999/00 (1992 E.C.)	2000/02 (1993 E.C.)	% Change	1999/00 (1992 E.C.)	2000/02 (1993 E.C.)	% Change
CEREALS	455.42	786	72.59	2714.09	3948.51	45.48	5.96	5.02	-15.71
Teff	17.8	45.7	156.74	43.13	126.52	193.35	2.42	2.77	14.26
Barley	172.81	**	**	715.1	1611.71	125.38	4.14	**	**
Wheat	64	52.54	-17.91	248.46	339.7	36.72	3.88	6.47	66.54
Maize	173.56	263.2	51.65	1598.76	1674.06	4.71	9.21	6.36	-30.95
Sorghum	14.82	26.3	77.46	29.96	104.36	248.33	2.02	3.97	96.28
Millet	**	**	**	**	14.84	**	**	**	**
Oats	11.54	10.63	-7.89	76.29	77.32	1.35	6.61	7.27	10.03
PULSES	174.63	136.31	-21.94	710.05	277.73	-60.89	4.07	2.04	-49.89
Horse Beans	7.11	1.97	-72.29	**	**	**	**	**	**
Field Peas	11.3	17.46	54.51	52.16	60.14	15.30	4.62	3.44	-25.38
Haricot Beans	150.14	89.72	-40.24	619.97	169.97	-72.58	4.13	1.89	-54.12
Chick Peas	**	11	**	**	5.89	**	**	0.54	**
Lentils	**	15.18	**	**	**	**	**	**	**
Vetch	**	0.98	**	**	**	**	**	**	**
OTHERS	2.12	5.35	152.36	**	**	**	**	**	**
Neug	-	-	-	-	-	-	-	-	-
Line Seed	**	**	**	**	**	**	**	**	**
Rape Seed	-	-	-	-	-	-	-	-	-
Ground Nuts	-	**	-	-	-	-	-	-	-
Sunflower	-	**	-	-	-	-	-	-	-
Sesame	-	-	-	-	-	-	-	-	-
Fenugreek	**	4.46	**	**	**	**	**	**	**
ALL CROPS	632.17	927.65	46.74	3425.86	4232.28	23.54			

Table 2. Estimates of 1999/00(1992 E.C.) and 2000/01(1993 E.C.) Area and production of major Belg season crops for peasant holdings in Ethiopia, by region

Region	Area under major crops ('000 Ha)			Production under major crops ('000 Qt)		
	1999/00 (1992 E.C.)	2000/01 (1993 E.C.)	% Change	1999/00 (1992 E.C.)	2000/01 (1993 E.C.)	% Change
Tigray	**	8.35	**	**	**	**
Afar	**	1.94	**	**	5.31	**
Amhara	**	129.87	**	62.64	472.81	654.81
Oromiya	349.12	539.54	54.54	2153.49	2592.29	20.38
Somali	7.85	**	**	**	101.25	**
Benshangul-Gumz	0.7	2.98	325.71	**	10.24	**
S.N.N.P	233.44	203.93	-12.64	801.13	988.35	23.37
Gambela	3.04	6.13	101.64	16.81	53.17	216.30
Harari	0.04	0.7	1650.00	0.26	**	**
Addis Ababa	-	**	-	-	**	**
Dire Dawa	0.05	0.2	300.00	**	**	**
All Regions	632.17	927.65	46.74	3425.86	4232.28	23.54

Table 3. Estimates of Area, production and percent share of Belg season crops for 2000/01 (1993 E.C.) for private peasant holdings in Ethiopia, By region.

Region	Area under major crops ('000 Ha)				Production under major crops ('000 Qt)			
	Meher	Belg	Both Seasons	% Belg	Meher	Belg	Both Seasons	% Belg
Tigray	634.69	8.35	643.04	1.30	6232.29	**	6232.29	**
Afar	29.27	1.94	31.21	6.22	74.43	5.31	79.74	6.66
Amhara	3459.37	129.87	3589.24	3.62	33038.45	472.81	33511.26	1.41
Oromiya	3975.56	539.54	4515.1	11.95	51265.76	2592.29	53858.05	4.81
Somali	59.73	**	59.73	**	452.74	101.25	553.99	18.28
Benshangul-Gumz	172.42	2.98	175.4	1.70	1761.2	10.24	1771.44	0.58
S.N.N.P	1072.81	203.93	1276.74	15.97	12749.12	988.35	13737.47	7.19
Gambela	14.24	6.13	20.37	30.09	306.26	53.17	359.43	14.79
Harari	7.68	0.7	8.38	8.35	57.77	**	57.77	**
Addis Ababa	11.68	**	11.68	**	147.87	**	147.87	**
Dire Dawa	8.02	0.2	8.22	2.43	73.96	**	73.96	**
All Regions	9445.47	927.65	10373.12	8.94	106159.85	4232.28	110392.13	3.83

Table 4. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1993 E.C.) Belg season Crops for Private Resort Holdings

National

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QT/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	786.00	84.73	3,948.51	93.30	5.02
Teff	45.70	4.93	126.52	2.99	2.77
Barley	**	**	1,611.71	38.08	**
Wheat	52.54	5.66	339.70	8.03	6.47
Maize	263.20	28.37	1,674.06	39.55	6.36
Sorghum	26.30	2.84	104.36	2.47	3.97
Millet	**	**	14.84	.35	**
Oats	10.63	1.15	77.32	1.83	7.27
Pulses	136.31	14.69	277.73	6.56	2.04
Horse Beans	1.97	.21	**	**	**
Field Peas	17.46	1.88	60.14	1.42	3.44
Haricot Beans	89.72	9.67	169.97	4.02	1.89
Chick Peas	11.00	1.19	5.89	.14	.54
Lentils	15.18	1.64	**	**	**
Vetch	.98	.11	**	**	**
Others	5.35	.58	**	**	**
Nag	-	-	-	-	-
Linseed	**	**	**	**	**
Rapeseed	-	-	-	-	-
Ground Nuts	**	**	-	-	-
Sunflower	**	**	-	-	-
Sesame	-	-	-	-	-
Pengraek	4.46	.48	**	**	**
All Crops	927.65	100.00	4,232.28	100.00	

- NOT RECORDED.

Table 5. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1993 E.C.) Belg season Crops for Private Resart Holdings

Tigray

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QT/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	7.26	86.95	**	**	**
Teff	**	**	**	**	**
Barley	1.43	17.13	**	**	**
Wheat	**	**	-	-	-
Maize	1.80	21.56	**	**	**
Sorghum	**	**	-	-	-
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	1.07	12.81	**	**	**
House Beans	**	**	-	-	-
Field Peas	**	**	-	-	-
Haricot Beans	-	-	-	-	-
Chick Peas	**	**	-	-	-
Lentils	**	**	-	-	-
Vetch	**	**	**	**	**
Others	**	**	-	-	-
Nag	-	-	-	-	-
Linseed	.01	.12	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Fenugreek	-	-	-	-	-
All Crops	8.35	100.00	**	**	**

- NOT RECORDED.

Table 6. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1993 E.C.) Belg season Crops for Private Peasant Holdings

Afar

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (Q/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	.75	38.66	5.06	95.29	6.75
Teff	.59	30.41	**	**	**
Barley	-	-	-	-	-
Wheat	**	**	-	-	-
Maize	**	**	-	-	-
Sorghum	**	**	**	**	**
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	1.19	61.34	**	**	**
Horse Beans	-	-	-	-	-
Field Peas	-	-	-	-	-
Haricot Beans	.20	10.31	-	-	-
Chick Peas	.99	51.03	**	**	**
Lentils	-	-	-	-	-
Vetch	-	-	-	-	-
Others	-	-	-	-	-
Nag	-	-	-	-	-
Linseed	-	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Pengreek	-	-	-	-	-
All Crops	1.94	100.00	5.31	100.00	

- NOT REPORTED.

Table 7. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1993 E.C.) Belg season Crops for Private Resart Holdings

Aihara

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (Q/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	87.51	67.38	447.17	94.58	5.11
Teff	25.15	19.37	40.67	8.60	1.62
Barley	42.65	32.84	346.92	73.37	8.13
Wheat	5.09	3.92	15.69	3.32	3.08
Maize	10.81	8.32	40.48	8.56	3.74
Sorghum	**	**	**	**	**
Millet	-	-	-	-	-
Oats	3.74	2.88	3.31	.70	.89
Pulses	39.05	30.07	24.81	5.25	.64
Horse Beans	**	**	**	**	**
Field Peas	**	**	**	**	**
Haricot Beans	**	**	**	**	**
Chick Peas	8.39	6.46	5.60	1.18	.67
Lentils	10.25	7.89	8.41	1.78	.82
Vetch	**	**	-	-	-
Others	**	**	**	**	**
Nag	-	-	-	-	-
Linseed	**	**	-	-	-
Rape seed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Renugreek	**	**	**	**	**
All Crops	129.87	100.00	472.81	100.00	

- NOT REPORTED.

Table 8. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1998 E.C.) Belg season Crops for Private Reseat Holdings

Oromiya

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QT/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	490.82	90.97	2,437.93	94.05	4.97
Teff	9.85	1.83	**	**	**
Barley	**	**	1,220.04	47.06	**
Wheat	42.71	7.92	318.69	12.29	7.46
Maize	101.29	18.77	736.96	28.43	7.28
Sorghum	5.50	1.02	**	**	**
Millet	-	-	-	-	-
Oats	6.88	1.28	74.01	2.86	10.76
Pulses	46.96	8.70	149.14	5.75	3.18
Horse Beans	**	**	**	**	**
Field Peas	11.15	2.07	52.58	2.03	4.72
Haricot Beans	28.26	5.24	65.74	2.54	2.33
Chick Peas	**	**	-	-	-
Lentils	**	**	**	**	**
Vetch	.38	.07	**	**	**
Others	1.76	.33	**	**	**
Noug	-	-	-	-	-
Linseed	**	**	**	**	**
Pape seed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Rengreek	**	**	**	**	**
All Crops	539.54	100.00	2,592.29	100.00	

- NOT REPORTED.

Table 9. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1998 E.C.) Belg season Crops for Private Resert Holdings

Scale

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QI/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	**	**	99.06	97.84	**
Teff	-	-	-	-	-
Barley	**	**	-	-	-
Wheat	**	**	**	**	**
Maize	**	**	96.95	95.75	**
Sorghum	**	**	**	**	**
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	**	**	**	**	**
Horse Beans	**	**	-	-	-
Field Peas	-	-	-	-	-
Haricot Beans	**	**	**	**	**
Chick Peas	-	-	-	-	-
Lentils	-	-	-	-	-
Vetch	-	-	-	-	-
Others	-	-	-	-	-
Nag	-	-	-	-	-
Linseed	-	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Fenugreek	-	-	-	-	-
All Crops	**	**	101.25	100.00	

- NOT RECORDED.

Table 10. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1998 E.C.) Belg season Crops for Private Peasant Holdings

Bansargul-Gmz

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QT/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	1.14	38.26	3.23	31.54	2.83
Teff	-	-	-	-	-
Barley	**	**	**	**	**
Wheat	-	-	-	-	-
Maize	1.07	35.91	3.09	30.18	2.89
Sorghum	**	**	-	-	-
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	1.84	61.74	7.02	68.55	3.82
House Beans	**	**	**	**	**
Field Peas	-	-	-	-	-
Haricot Beans	1.82	61.07	6.94	67.77	3.81
Chick Peas	-	-	-	-	-
Lentils	-	-	-	-	-
Vetch	-	-	-	-	-
Others	-	-	-	-	-
Nag	-	-	-	-	-
Linseed	-	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Rangreek	-	-	-	-	-
All Crops	2.98	100.00	10.24	100.00	

- NOT RECORDED.

Table 11. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1998 E.C.) Belg season Crops for Private Resent Holdings

(S.N.N.P.R)

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QT/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	159.10	78.02	894.63	90.52	5.62
Teff	6.48	3.18	22.99	2.33	3.55
Barley	16.01	7.85	42.81	4.33	2.67
Wheat	1.61	.79	5.09	.51	3.16
Maize	112.72	55.27	734.22	74.29	6.51
Sorghum	20.06	9.84	74.68	7.56	3.72
Millet	**	**	14.84	1.50	**
Oats	**	**	-	-	-
Pulses	44.57	21.86	93.73	9.48	2.10
Horse Beans	.43	.21	**	**	**
Field Peas	.67	.33	.40	.04	.60
Haricot Beans	43.38	21.27	92.39	9.35	2.13
Chick Peas	**	**	**	**	**
Lentils	**	**	-	-	-
Vetch	-	-	-	-	-
Others	**	**	-	-	-
Nag	-	-	-	-	-
Linseed	**	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	**	**	-	-	-
Sunflower	**	**	-	-	-
Sesame	-	-	-	-	-
Fenugreek	**	**	-	-	-
All Crops	203.93	100.00	988.35	100.00	

- NOT RECORDED.

Table 12. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1993 E.C.) Belg season Crops for Private Peasant Holdings

Gubela

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (Q/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	6.13	100.00	53.17	100.00	8.67
Teff	-	-	-	-	-
Barley	-	-	-	-	-
Wheat	-	-	-	-	-
Maize	5.98	97.55	53.17	100.00	8.89
Sorghum	**	**	-	-	-
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	-	-	-	-	-
Horse Beans	-	-	-	-	-
Field Peas	-	-	-	-	-
Haricot Beans	-	-	-	-	-
Chick Peas	-	-	-	-	-
Lentils	-	-	-	-	-
Vetch	-	-	-	-	-
Others	-	-	-	-	-
Nag	-	-	-	-	-
Linseed	-	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Rauvapek	-	-	-	-	-
All Crops	6.13	100.00	53.17	100.00	

- NOT RECORDED.

Table 13. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1998 E.C.) Belg season Crops for Private Resort Holdings

Harari

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QT/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	**	**	**	**	**
Teff	-	-	-	-	-
Barley	-	-	-	-	-
Wheat	-	-	-	-	-
Maize	**	**	**	**	**
Sorghum	**	**	**	**	**
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	.62	88.57	**	**	**
Horse Beans	-	-	-	-	-
Field Peas	-	-	-	-	-
Haricot Beans	.62	88.57	**	**	**
Chick Peas	-	-	-	-	-
Lentils	-	-	-	-	-
Vetch	-	-	-	-	-
Others	-	-	-	-	-
Nag	-	-	-	-	-
Linseed	-	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Pengreek	-	-	-	-	-
All Crops	.70	100.00	**	**	**

- NOT REPORTED.

Table 14. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1998 E.C.) Belg season Crops for Private Resert Holdings

Attis Araba

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (QT/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	**	**	**	**	**
Teff	-	-	-	-	-
Barley	**	**	**	**	**
Wheat	-	-	-	-	-
Maize	-	-	-	-	-
Sorghum	-	-	-	-	-
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	-	-	-	-	-
Horse Beans	-	-	-	-	-
Field Peas	-	-	-	-	-
Haricot Beans	-	-	-	-	-
Chick Peas	-	-	-	-	-
Lentils	-	-	-	-	-
Vetch	-	-	-	-	-
Others	-	-	-	-	-
Nay	-	-	-	-	-
Linseed	-	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Rengreek	-	-	-	-	-
All Crops	**	**	**	**	**

- NOT REPORTED.

Table 15. Estimates of Area, Production, their Percentage Distribution and Yield for 2000/01 (1999 E.C.) Belg season Crops for Private Resort Holdings

Dire Dawa

CROP TYPE	TOTAL AREA		TOTAL PRODUCTION		YIELD (Q/HA)
	('000 hectare)	%	('000 quintal)	%	
Cereals	.20	100.00	**	**	**
Teff	-	-	-	-	-
Barley	-	-	-	-	-
Wheat	-	-	-	-	-
Maize	**	**	**	**	**
Sorghum	.06	30.00	**	**	**
Millet	-	-	-	-	-
Oats	-	-	-	-	-
Pulses	-	-	-	-	-
House Beans	-	-	-	-	-
Field Peas	-	-	-	-	-
Hariot Beans	-	-	-	-	-
Chick Peas	-	-	-	-	-
Lentils	-	-	-	-	-
Vetch	-	-	-	-	-
Others	-	-	-	-	-
Nag	-	-	-	-	-
Linseed	-	-	-	-	-
Rapeseed	-	-	-	-	-
Ground Nuts	-	-	-	-	-
Sunflower	-	-	-	-	-
Sesame	-	-	-	-	-
Rengreek	-	-	-	-	-
All Crops	.20	100.00	**	**	

- NOT RECORDED.

ESTIMATION PROCEDURES OF TOTALS AND SAMPLING ERRORS

The following formulae are used to estimate total area of land under specific crop level of production and yield of specific crop in a given area.

APPENDIX-I

ESTIMATION PROCEDURES OF TOTAL AND SAMPLING ERRORS

Notes: The data on area and production for major Bangladeshi crops were usually reported in local units. Therefore one has to be aware that before applying the estimation procedures defined here below, the reported area and production of a specific crop in local units of each field has to be converted in to standard units using conversion coefficients.

For estimating total Area of land under specific crop

$$A_t = \sum_{h=1}^m W_h a_h$$

in which

$$W_h = \frac{N_h M_h}{\sum_{h=1}^m N_h M_h}$$

W_h is the weight

where,

N_h represents the stratum.

M_h is the total number of EAs selected in h^{th} stratum.

APPENDIX I

ESTIMATION PROCEDURES OF TOTALS AND SAMPLING ERRORS.

The following formula are used to estimate total area of land under specific crop level of production and yield of specific crop in a given stratum.

Notes:- Since all information on Belg season agricultural activities are collected using subjective methods, by interviewing each holder in the sampled 25 agricultural households. Hence the data on area and production for major Belg season crops were usually reported in local units. Therefore one has to note that before applying the estimation procedures defined here below, the reported area and production of a specific crop in local units of each field has to be converted in to standard units using conversion equivalents.

for estimating total Area of land under specific crop

$$A_h = \sum_{i=1}^{n_h} W_{hi} \cdot a_{hi}$$

in which

$$W_{hi} = \frac{N_h M_{hi}}{n_h N_{hi} m_{hi}}$$

is the weight

where,

h represents the stratum.

n_h is the total number of EAs selected in h^{th} stratum.

N_h is the measure of size of the h^{th} stratum obtained from the sampling frame.

N_{hi} is the measure of size of the i^{th} sample EA in the h^{th} stratum obtained from the sampling frame.

M_{hi} is the total number of agricultural households of the i^{th} sample EA in the h^{th} stratum obtained from households listing of the survey.

m_{hi} is number of sampled agricultural households of the i^{th} sample EA in the h^{th} stratum

a_{hi} is the sample total of area values in the i^{th} EA in the h^{th} stratum for the specific agricultural input for the specific crop.

A_h is estimated of total area under specific crop where a certain agricultural input was used in the h^{th} stratum

2. For Estimating level of production

$$P_h = \sum_{i=1}^{n_h} W_{hi} P_{hi}$$

Where,

W_{hi} is the weight given above

P_h is estimate of total production of a specific cropland in the h^{th} stratum.

P_{hi} is the sample total of production of a specific crop in the i^{th} EA in the h^{th} stratum

3. Estimate of yield of a specific crop is given by

$$Y_h = \frac{P_h}{A_h}$$

4. Estimating Sampling Variance

Sampling variances of estimates of stratum total of area (A_h) and production (P_h) for a specific crop are estimated by the following formulas, respectively.

$$\text{Var}(A_h) = \frac{n_h}{n_h - 1} \left[\sum_{i=1}^{n_h} A_{hi}^2 - \frac{A_h^2}{n_h} \right]$$

and

$$\text{Var}(P_h) = \frac{n_h}{n_h - 1} \left[\sum_{i=1}^{n_h} P_{hi}^2 - \frac{P_h^2}{n_h} \right]$$

In estimating the sampling variance by the above formula, selection of EAs within a stratum is assumed to be with replacement. By so doing the variance estimate may be slightly over estimated but it greatly simplify the estimation procedure. Further more the finite population correction (fpc) is ignored in the formula. This is due to the fact that its effects are negligible.

5. estimating Coefficient of Variation

Coefficient of Variation (CV) of estimate of stratum total area (A_h) and production (P_h) are given by the following formulas, respectively:

$$CV(A_h) = \frac{\text{Var}(A_h)}{A_h} \times 100$$

and

$$CV(P_h) = \frac{\text{VAR}(P_h)}{P_h} \times 100$$

Note: National Estimates of the total Characteristic and Sampling variance are obtained by aggregating the respective stratum totals.

APPENDIX II STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA AND PRODUCTION, OF MAJOR CROPS, 2000/2001(1993 E.C.) BELG SEASON

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

NATIONAL

TYPE OF CROP	AREA (000' HA)	S.E. (000' HA)	C.V. (%)	PRODUCTION (000' QT)	S.E. (000' QT)	C.V. (%)
CEREALS	786.00	234.20	29.80	3948.51	369.00	9.22
TEFF	45.70	10.01	21.91	126.52	39.67	30.86
BARELY	**	**	**	1611.71	246.33	14.88
WHEAT	52.54	11.59	22.06	339.70	124.66	36.31
MAIZE	263.20	27.54	10.46	1674.06	186.73	11.12
SORGHUM	26.30	3.90	14.83	104.36	22.01	21.02
MILLET	**	**	**	14.84	6.87	46.26
OATS	10.63	1.99	18.76	77.32	26.13	33.76
PULSES	136.31	15.81	11.60	277.73	48.74	17.00
HORSEBEANS	1.97	0.73	37.25	**	**	**
FIELDPEAS	17.46	3.84	21.97	60.14	21.07	30.92
HARICOTBEANS	89.72	14.00	15.61	169.97	33.91	19.86
CHICKPEAS	11.00	2.73	24.80	5.89	2.67	45.36
LENTILS	15.18	4.88	32.17	**	**	**
VETCH	0.98	0.32	32.81	**	**	**
OTHERS	5.35	1.98	37.05	**	**	**
NEUG	-	-	-	-	-	-
LINSEED	**	**	**	**	**	**
RAPESEED	**	**	**	-	-	-
GROUNDNUTS	**	**	**	-	-	-
SUNFLOWER	**	**	**	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	4.46	1.94	43.34	**	**	**
ALL CROPS	927.65	235.28	25.36	4232.28	388.13	9.04

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

TIGRAY

TYPE OF CROP	AREA (000' HA)	S.E. (000' HA)	C.V. (%)	PRODUCTION (000' QT)	S.E. (000' QT)	C.V. (%)
CEREALS	7.26	2.40	33.00	**	**	**
TEFF	**	**	**	**	**	**
BARELY	1.43	0.69	48.55	**	**	**
WHEAT	**	**	**	-	-	-
MAIZE	1.80	0.66	36.73	**	**	**
SORGHUM	**	**	**	-	-	-
MILLET	-	-	-	-	-	-
OATS	-	-	-	-	-	-
PULSES	1.07	0.46	42.53	**	**	**
HORSEBEANS	**	**	**	-	-	-
FIELDPEAS	**	**	**	-	-	-
HARICOTBEANS	-	-	-	-	-	-
CHICKPEAS	**	**	**	-	-	-
LENTILS	**	**	**	-	-	-
VETCH	**	**	**	**	**	**
OTHERS	**	**	**	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	**	**	**	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	8.35	2.46	29.46	**	**	**

Abbreviations

S.E. = Standard Error

C.V. = Coefficient of Variation

- = Insignificant or not available

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

AFAR

TYPE OF CROP	AREA (000 HA)	S.E. (000 HA)	C.V. (%)	PRODUCTION (000 QT)	S.E. (000 QT)	C.V. (%)
CEREALS	0.75	0.24	32.37	5.06	0.38	7.58
TEFF	0.59	0.20	33.80	**	**	**
BARELY	**	**	**	-	-	-
WHEAT	**	**	**	-	-	-
MAIZE	**	**	**	-	-	-
SORGHUM	**	**	**	**	**	**
MILLET	-	-	-	-	-	-
OATS	-	-	-	-	-	-
PULSES	1.19	0.42	35.23	**	**	**
HORSEBEANS	-	-	-	-	-	-
FIELDPEAS	-	-	-	-	-	-
HARICOTBEANS	0.20	0.09	47.59	-	-	-
CHICKPEAS	0.99	0.34	34.02	**	**	**
LENTILS	-	-	-	-	-	-
VETCH	-	-	-	-	-	-
OTHERS	-	-	-	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	-	-	-	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	1.94	0.59	30.28	5.31	0.51	9.55

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

AMHARA

TYPE OF CROP	AREA (000 HA)	S.E. (000 HA)	C.V. (%)	PRODUCTION (000 QT)	S.E. (000 QT)	C.V. (%)
CEREALS	87.51	12.66	14.47	447.17	86.19	19.25
TEFF	25.15	9.06	36.02	40.67	20.13	49.50
BARELY	42.65	8.03	18.82	346.92	84.99	24.50
WHEAT	5.09	1.19	23.35	15.69	4.51	27.68
MAIZE	10.81	2.39	22.09	40.48	14.52	35.84
SORGHUM	**	**	**	**	**	**
MILLET	-	-	-	-	-	-
OATS	3.74	1.25	33.52	3.31	1.29	38.84
PULSES	39.05	11.84	30.31	24.81	8.25	33.07
HORSEBEANS	**	**	**	-	-	-
FIELDPEAS	**	**	**	-	-	-
HARICOTBEANS	**	**	**	-	-	-
CHICKPEAS	8.39	2.59	30.84	5.60	2.67	47.67
LENTILS	10.25	3.29	32.04	8.41	3.27	38.71
VETCH	**	**	**	-	-	-
OTHERS	**	**	**	**	**	**
NEUG	-	-	-	-	-	-
LINSEED	**	**	**	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	**	**	**	-	-	-
ALL CROPS	129.87	18.60	14.32	472.81	88.94	18.78

Abbreviations
S.E. = Standard Error
C.V. = Coefficient of Variation
- = Insignificant or not available

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

OROMIYA						
TYPE OF CROP	AREA (000 HA)	S.E. (000 HA)	C.V. (%)	PRODUCTION (000 QT)	S.E. (000 QT)	C.V. (%)
CEREALS	490.82	232.29	47.33			
TEFF	9.85	3.39	34.41	2437.93	334.04	13.42
BARELY	**	**	**	**	**	**
WHEAT	42.71	11.18	26.18	1220.04	230.83	18.27
MAIZE	101.29	15.60	15.40	318.69	124.56	38.72
SORGHUM	5.50	2.40	43.57	736.96	138.55	18.72
MILLET	-	-	-	**	**	**
OATS	6.88	1.55	22.53	74.01	26.10	35.22
PULSES	46.96	7.76	16.53			
HORSEBEANS	**	**	**	149.14	41.68	26.46
FIELDPEAS	11.15	2.58	23.17	**	**	**
HARICOTBEANS	28.26	5.69	20.14	52.58	20.33	33.56
CHICKPEAS	**	**	**	65.74	23.94	36.20
LENTILS	**	**	**	-	-	-
VETCH	0.38	0.19	49.56	**	**	**
OTHERS	1.76	0.80	45.48	**	**	**
NEUG	-	-	-	-	-	-
LINSEED	**	**	**	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	**	**	**	-	-	-
ALL CROPS	539.54	232.82	43.15	2592.29	351.83	13.27

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

SOMALE						
TYPE OF CROP	AREA (000 HA)	S.E. (000 HA)	C.V. (%)	PRODUCTION (000 QT)	S.E. (000 QT)	C.V. (%)
CEREALS	**	**	**			
TEFF	-	-	-	99.06	31.92	32.22
BARELY	**	**	**	-	-	-
WHEAT	**	**	**	**	**	**
MAIZE	**	**	**	**	**	**
SORGHUM	**	**	**	96.95	31.97	32.97
MILLET	-	-	-	**	**	**
OATS	-	-	-	-	-	-
PULSES	**	**	**	**	**	**
HORSEBEANS	**	**	**	**	**	**
FIELDPEAS	-	-	-	-	-	-
HARICOTBEANS	**	**	**	**	**	**
CHICKPEAS	-	-	-	-	-	-
LENTILS	-	-	-	-	-	-
VETCH	-	-	-	-	-	-
OTHERS	-	-	-	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	-	-	-	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	**	**	**	101.25	31.86	31.46

Abbreviations

S.E. = Standard Error

C.V. = Coefficient of Variation

- = Insignificant or not available

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

BENSHANGUL GUMUZ

TYPE OF CROP	AREA (000' HA)	S.E. (000' HA)	C.V. (%)	PRODUCTION (000' QT)	S.E. (000' QT)	C.V. (%)
CEREALS	1.14	0.46	40.82	3.23	0.97	30.15
TEFF	-	-	-	-	-	-
BARELY	**	**	**	**	**	**
WHEAT	**	**	**	-	-	-
MAIZE	1.07	0.46	43.04	3.09	0.97	31.56
SORGHUM	**	**	**	-	-	-
MILLET	-	-	-	-	-	-
OATS	-	-	-	-	-	-
PULSES	1.84	0.36	19.75	7.02	2.81	40.08
HORSEBEANS	**	**	**	**	**	**
FIELDPEAS	-	-	-	-	-	-
HARICOTBEANS	1.82	0.37	20.07	6.94	2.82	40.60
CHICKPEAS	-	-	-	-	-	-
LENTILS	-	-	-	-	-	-
VETCH	-	-	-	-	-	-
OTHERS	-	-	-	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	-	-	-	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	2.98	0.56	18.89	10.24	2.83	27.66

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

S.N.N.P.R

TYPE OF CROP	AREA (000' HA)	S.E. (000' HA)	C.V. (%)	PRODUCTION (000' QT)	S.E. (000' QT)	C.V. (%)
CEREALS	159.10	15.18	9.54	894.63	125.78	14.03
TEFF	6.48	1.26	19.50	22.99	5.72	24.64
BARELY	16.01	3.76	23.47	42.81	13.81	30.74
WHEAT	1.61	0.39	24.19	5.09	2.16	42.47
MAIZE	112.72	12.46	11.05	734.22	118.87	16.16
SORGHUM	20.06	3.07	15.29	74.68	17.02	22.68
MILLET	**	**	**	14.84	6.84	46.26
OATS	**	**	**	-	-	-
PULSES	44.57	6.97	15.64	93.73	23.61	25.06
HORSEBEANS	0.43	0.11	26.66	**	**	**
FIELDPEAS	0.67	0.26	38.14	0.40	0.17	42.84
HARICOTBEANS	43.38	6.96	16.04	92.39	23.63	25.47
CHICKPEAS	**	**	**	**	**	**
LENTILS	**	**	**	**	**	**
VETCH	-	-	-	-	-	-
OTHERS	**	**	**	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	**	**	**	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	**	**	**	-	-	-
SUNFLOWER	**	**	**	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	**	**	**	-	-	-
ALL CROPS	203.93	16.92	8.30	988.35	132.74	13.40

Abbreviations

S.E. = Standard Error

C.V. = Coefficient of Variation

- = Insignificant or not available

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

GAMBELA

TYPE OF CROP	AREA (000' HA)	S.E. (000' HA)	C.V. (%)	PRODUCTION (000' QT)	S.E. (000' QT)	C.V. (%)
CEREALS	6.13	2.56	41.81			
TEFF	-	-	-	53.17	13.44	25.28
BARELY	-	-	-	-	-	-
WHEAT	-	-	-	-	-	-
MAIZE	5.98	2.58	43.17	-	-	-
SORGHUM	**	**	**	53.17	13.44	25.28
MILLET	-	-	-	-	-	-
OATS	-	-	-	-	-	-
PULSES	**	**	**	-	-	-
HORSEBEANS	-	-	-	-	-	-
FIELDPEAS	-	-	-	-	-	-
HARICOTBEANS	**	**	**	-	-	-
CHICKPEAS	-	-	-	-	-	-
LENTILS	-	-	-	-	-	-
VETCH	-	-	-	-	-	-
OTHERS	-	-	-	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	-	-	-	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	6.13	2.56	41.81	53.17	13.44	25.28

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

HARARI

TYPE OF CROP	AREA (000' HA)	S.E. (000' HA)	C.V. (%)	PRODUCTION (000' QT)	S.E. (000' QT)	C.V. (%)
CEREALS	**	**	**	**	**	**
TEFF	-	-	-	-	-	-
BARELY	-	-	-	-	-	-
WHEAT	-	-	-	-	-	-
MAIZE	**	**	**	**	**	**
SORGHUM	**	**	**	**	**	**
MILLET	-	-	-	-	-	-
OATS	-	-	-	-	-	-
PULSES	0.62	0.14	22.98	**	**	**
HORSEBEANS	-	-	-	-	-	-
FIELDPEAS	-	-	-	-	-	-
HARICOTBEANS	0.62	0.14	22.98	**	**	**
CHICKPEAS	-	-	-	-	-	-
LENTILS	-	-	-	-	-	-
VETCH	-	-	-	-	-	-
OTHERS	-	-	-	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	-	-	-	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	0.70	0.15	21.03	**	**	**

Abbreviations

S.E. = Standard Error

C.V. = Coefficient of Variation

- = Insignificant or not available

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

ADDIS ABABA

TYPE OF CROP	AREA (000 HA)	S.E. (000 HA)	C.V. (%)	PRODUCTION (000 QT)	S.E. (000 QT)	C.V. (%)
CEREALS	**	**	**	**	**	**
TEFF	-	-	-	-	-	-
BARELY	**	**	**	**	**	**
WHEAT	-	-	-	-	-	-
MAIZE	**	**	**	**	**	**
SORGHUM	-	-	-	-	-	-
MILLET	-	-	-	-	-	-
OATS	-	-	-	-	-	-
PULSES	-	-	-	-	-	-
HORSEBEANS	-	-	-	-	-	-
FIELDPEAS	-	-	-	-	-	-
HARICOTBEANS	-	-	-	-	-	-
CHICKPEAS	-	-	-	-	-	-
LENTILS	-	-	-	-	-	-
VETCH	-	-	-	-	-	-
OTHERS	-	-	-	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	-	-	-	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	**	**	**	**	**	**

STANDARD ERROR AND COEFFICIENT OF VARIATION FOR AREA
AND PRODUCTION, OF MAJOR CROPS, 2000/2001 (1993 E.C.) BELG SEASON

DIRE DAWA

TYPE OF CROP	AREA (000 HA)	S.E. (000 HA)	C.V. (%)	PRODUCTION (000 QT)	S.E. (000 QT)	C.V. (%)
CEREALS	0.20	0.08	38.19	**	**	**
TEFF	-	-	-	-	-	-
BARELY	-	-	-	-	-	-
WHEAT	-	-	-	-	-	-
MAIZE	**	**	**	**	**	**
SORGHUM	0.06	0.03	49.04	**	**	**
MILLET	-	-	-	-	-	-
OATS	-	-	-	-	-	-
PULSES	-	-	-	-	-	-
HORSEBEANS	-	-	-	-	-	-
FIELDPEAS	-	-	-	-	-	-
HARICOTBEANS	-	-	-	-	-	-
CHICKPEAS	-	-	-	-	-	-
LENTILS	-	-	-	-	-	-
VETCH	-	-	-	-	-	-
OTHERS	-	-	-	-	-	-
NEUG	-	-	-	-	-	-
LINSEED	-	-	-	-	-	-
RAPESEED	-	-	-	-	-	-
GROUNDNUTS	-	-	-	-	-	-
SUNFLOWER	-	-	-	-	-	-
SESAME	-	-	-	-	-	-
FENUGREEK	-	-	-	-	-	-
ALL CROPS	0.20	0.08	38.73	**	**	**

Abbreviations

S.E. = Standard Error

C.V. = Coefficient of Variation

- = Insignificant or not available

APPENDIX-III

SURVEY QUESTIONNAIRES

CENTRAL STATISTICAL AUTHORITY
 NATIONAL INTEGRATED HOUSEHOLD SURVEY PROGRAM
 AGRICULTURAL SAMPLE SURVEY - 2000/01 (1993 E.C.)

FORM ASS - 93/7

PRIVATE HOLDINGS

PART 1 IDENTIFICATION PARTICULARS

JOB ID	1	2	3																							
	1	8	3																							
KILLIL	ZONE		WEREDA		FARMER'S ASSOCIATION			ENUMERATION AREA		HOUSEHOLD ID NUMBER <small>(ASS 93/7 PART 2 COL. I)</small>		HOLDER ID NUMBER <small>(ASS 93/2 PART 2 COL. II)</small>		HOLDER'S NAME			SEX M = 1 F = 2		AGE		EDUCATIONAL STATUS GRADE COMPLETED		NUMBER OF MEMBERS OF HOLDER'S HOUSEHOLD		TYPE OF AGRICUL. CROP - 1 LVSTK - 2 BOTH - 3	
	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26			

PART 2 LIST OF FIELDS AND AGRICULTURAL PRACTICES (1993 E.C. BELG SEASON)

LINE NO.	SERIAL NUMBER OF		CROP NAME <small>(TEMPORARY)</small>	TYPE OF SEED USED	USE OF IRRIGATION	USE OF FERTILIZERS					USE OF PESTICIDES	WAS CROP DAMAGED ?				REMARK									
	PARCEL	FIELD				CODE	IMPROVED = 1 INDIGN = 3	YES = 1 NO = 2	IF YES USE	IF COMMERCIAL <small>(IF IT IS CODE 2 OR 3 IN COLUMN 9)</small>			YES = 1 NO = 2	IF YES REASON FOR DAMAGE	PERCENT OF DAMAGED										
										NATURAL = 1 COMM. = 2 BOTH = 3		QUANTITY USED					NO = 2								
												UREA = 1 DAP = 2 BOTH = 3						KG.	GRAM						
27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
0	1																								
0	2																								
0	3																								
0	4																								
0	5																								
B	6																								
0	7																								
0	8																								
0	9																								
1	0																								

NOTE: - IN PART 1 COLUMN 11:

ILLITERATE = 1
 GRADES 1-3 COMPLETED = 2
 GRADES 4-6 COMPLETED = 3

GRADES 7-8 COMPLETED = 4
 GRADES 9-11 COMPLETED = 5
 GRADES 12 COMPLETED = 6
 ABOVE GRADE 12 COMPLETED = 7

NOTE: - THIS FORM SHOULD BE FILLED OUT ONLY FOR TEMPORARY PURE STAND CROPS
 AND TEMPORARY WITH OTHER MIXED STAND CROPS.
 - IN PART 1 THE INFORMATION ABOUT AREA AND PRODUCTION SHOULD
 BE FILLED OUT IF AND ONLY IF THE TEMPORARY CROPS HARVESTED BEFORE SEPTEMBER 1, 1991 E.C.