

የኢትዮጵያ ጠቅላይ ልማት ቢሮ
የሥነ ምግባር ልማት
የብሔራዊ ስብሰባ ማኅበር
የሥነ ምግባር ልማት
የብሔራዊ ስብሰባ ማኅበር

THE FEDERAL DEMOCRATIC REPUBLIC OF ETHIOPIA
CENTRAL STATISTICAL AGENCY

AGRICULTURAL SAMPLE SURVEY
2009 / 2010 (2002 E.C.)

(September – December 2009)

VOLUME I

REPORT ON

AREA AND PRODUCTION OF CROPS

(PRIVATE PEASANT HOLDINGS, MEHER SEASON)



ADDIS ABABA
MAY, 2010

4
5 ACC0001574

የኢትዮጵያ ሪፐብሊክ ሪፐብሊክ
የተቋቋመው
Central Statistical Agency
Library

**THE FEDERAL DEMOCRATIC REPUBLIC OF ETHIOPIA
CENTRAL STATISTICAL AGENCY**

**AGRICULTURAL SAMPLE SURVEY
2009 / 2010 (2002 E.C.)**

(September – December 2009)

VOLUME I

REPORT ON

AREA AND PRODUCTION OF CROPS

(PRIVATE PEASANT HOLDINGS, MEHER SEASON)

የኢትዮጵያ ሪፐብሊክ ሪፐብሊክ
የተቋቋመው
የኢትዮጵያ ሪፐብሊክ ሪፐብሊክ
የተቋቋመው

**ADDIS ABABA
MAY, 2010**

CONTENTS

PAGE

PART I INTRODUCTION AND OBJECTIVES OF THE SURVEY.....1

1.1 INTRODUCTION.....	1
1.2 OBJECTIVES OF THE SURVEY.....	2

PART II SURVEY METHODOLOGY, DATA COLLECTION AND PROCESSING

2.1 SCOPE AND COVERAGE OF THE SURVEY.....	3
2.2 SAMPLING FRAME.....	3
2.3 SAMPLE DESIGN.....	3
2.4 SELECTION SCHEME.....	4
2.4 ORGANIZATION OF FIELD WORK.....	4
2.5 TRAINING OF FIELD STAFF.....	5
2.6 METHOD OF DATA COLLECTION.....	5
2.7 DATA PROCESSING.....	6
a) Editing, Coding and Verification.....	6
b) Data Entry, Cleaning and Tabulation.....	6
2.8 CONCEPTS AND DEFINITIONS.....	7

PART III SUMMARY OF SURVEY RESULTS.....11

3.1 Introduction.....	11
3.2 Major findings of the year 2009/10 (2002 E.C.) Post-harvest Crop Production Survey, Meher season....	11
3.3 Comparison of the current year 2009/10 Post-harvest crop yield with last year 2008/09 estimate.....	17
APPENDIX I. ESTIMATION PROCEDURES OF TOTALS, RATIOS AND SAMPLING ERRORS.....	34
APPENDIX II. STANDARD ERRORS AND COEFFICIENTS OF VARIATION.....	39
APPENDIX III. NUMBER OF PLANNED AND ACTUALLY COVERED SAMPLING UNITS.....	53
APPENDIX IV. QUESTIONNAIRES.....	57

ABBREVIATIONS: CV – COEFFICIENT OF VARIATION

E.C. – ETHIOPIAN CALENDAR

S.N.N.P.R. – SOUTHERN NATIONS, NATIONALITIES AND PEOPLES' REGION

PART I

INTRODUCTION AND OBJECTIVES OF THE SURVEY

1.1. INTRODUCTION

The sound performance of agriculture warrants the availability of food crops. This accomplishment in agriculture does not only signify the adequate acquisition of food crops to attain food security, but also heralds a positive aspect of the economy. In regard to this, collective efforts are being geared to securing agricultural outputs of the desired level so that self reliance in food supply can be achieved and disaster caused food shortages be contained in the shortest possible time in Ethiopia.

The prime role that agriculture plays in a country's political, economic and social stability makes measures of agricultural productions extremely sensitive. Statistics collected on agricultural productions are, therefore, fraught with questions of reliability by data users. To tackle these questions convincingly and dissipate the misgivings of users, information on agriculture has to be collected using standard procedures of data collection.

Upholding this principle, the Central Statistical Agency (CSA) has been furnishing statistical information on the country's agriculture since 1980/81 to alert policy interventionists on the changes taking place in the agricultural sector. As part of this task the 2009/10 (2002 E.C.) Agricultural Sample Survey (AgSS) was conducted to provide data on crop area and production of crops within the private peasant holdings for Meher Season of the specified year. The survey results are presented in this bulletin and other electronic media for data users.

The report comprises three parts. Part I contains the objectives of this annual survey. Part II deals with coverage of the survey, sample design, field organization and method of data collection and Part III includes the survey results. Estimation procedures and formulation of estimates of totals, ratios and variance are presented in Appendix I. Estimates of the standard errors with the corresponding coefficients of variations for area and production of crops are presented in Appendix II. The numbers of agricultural

households covered, number of parcels and fields measured are presented in appendix III and the survey questionnaires in Appendix IV.

1.2. OBJECTIVES OF THE SURVEY

The general objective of CSA's Agricultural Sample Survey (AgSS) is to collect basic quantitative information on the country's agriculture that is essential for planning, policy formulation, monitoring and evaluation of mainly food security and other agricultural activities. The AgSS is composed of four components: Crop Production Forecast Survey, Meher Season Post Harvest Survey (Area and production, land use, farm management and crop utilization), Livestock Survey and Belg Season Survey.

The specific objectives of Meher Season Post Harvest Survey are to estimate the total crop area, volume of crop production and yield of crops for Meher Season agriculture in Ethiopia. The report is based on private peasant holdings in rural sedentary areas of the country and part of companion reports on the performance of agriculture in the country.

The report is compiled at national and regional level only.

PART II

SURVEY METHODOLOGY, DATA COLLECTION AND PROCESSING

2.1. SCOPE AND COVERAGE OF THE SURVEY

The range of data items that the 2009/10 (2002 E.C) Annual Agricultural Sample Survey (Meher Season) dealt with includes all cereals, pulses and oilseeds and the most commonly grown vegetables, root crops and permanent (perennial) crops. Holders growing at least one or more of these and / or other crops are enumerated and data on crop area and yield condition recorded, hence data on production of these crops acquired.

The 2009/10 (2002 E.C) Annual Agricultural Sample Survey (Meher season) covered the entire rural parts of the country except the non-sedentary population of three zones of Afar & six zones of Somali regions.

To be covered by the survey, a total of 1,660 Enumeration Areas (EAs) were selected. However, due to various reasons that are beyond control, in 25 EAs the survey could not be successful and hence interrupted. Thus, all in all the survey succeeded to cover 1,635 EAs (98.5 %) throughout the regions. The Annual Agricultural Sample survey (Meher season) was conducted on the basis of 20 agricultural households selected from each EA. Regarding the ultimate sampling units, it was intended to cover a total of 33,200 agricultural households, however, 32,630 (98.3 %) were actually covered by the survey.

2.2 SAMPLING FRAME

The list containing EAs of all regions and their respective households obtained from the 1999 E.C cartographic census frame was used as the sampling frame in order to select the primary sampling units (EAs). Consequently, all sample EAs were selected from this frame based on the design proposed for the survey. The second stage sampling units, households, were selected from a fresh list of households that were prepared for each EA at the beginning of the survey.

2.3 SAMPLE DESIGN

In order to select the sample a stratified two-stage cluster sample design was implemented. Enumeration areas (EAs) were taken to be the primary sampling units (PSUs) and the secondary sampling units (SSUs) were agricultural households.

The sample size for the 2009/10 agricultural sample survey was determined by taking into account of both the required level of precision for the most important estimates within each domain and the amount of resources allocated to the survey. In order to reduce non-sampling errors, manageability of the survey in terms of quality and operational control was also considered.

All regions were taken to be the domain of estimation for which major findings of the survey are reported.

2.4 SELECTION SCHEME

Enumeration areas from each stratum were selected systematically using probability proportional to size sampling technique; size being number of agricultural households.

The sizes for EAs were obtained from the 1999 E.C cartographic census frame. From the fresh list of households prepared at the beginning of the survey 20 agricultural households within each sample EA were selected systematically.

Estimation procedure of totals, ratios, sampling error and the measurement of precision of estimates (CV) are given in Appendix-I and II respectively. Distribution of sampling units (sampled and covered EAs and households) by stratum is also presented in Appendix-III.

2.5. ORGANIZATION OF FIELD WORK

The conduct of a survey cannot be executed without the arrangement of fieldwork. In recognition of this, the organization of fieldwork has been entrusted to the Department of Regional Offices and Field Operations that liaises between the Head Office and the 25 Branch Statistical Offices spread across the regions. All Branch Offices took part in the survey execution especially in recruiting the enumerators, organizing the 2nd stage training, assigning the field staff to their sites of enumeration, supervising the data

collection and retrieving completed questionnaires and submitting them to the Head Office for data processing.

The Branch Offices were also responsible for administering the financial and logistic aspects of the survey within their areas of operation. A total of 1,817 enumerators, 558 field supervisors, 44 coordinators and 65 statisticians were involved in the data collection where on the average one supervisor was assigned to five enumeration areas for supervision of data collection. All the enumerators were supplied with the necessary survey equipment after the completion of the training to ensure the smooth operation of the survey. To facilitate the data collection activities, a total of 164 four-wheel drive vehicles were used.

2.6. TRAINING OF FIELD STAFF

The execution of a survey and quality of data acquired from the survey highly depend on the type of training given to the enumerators and supervisors and the consequent understanding of the tasks to be performed and the standard procedures to be followed by the enumerators and supervisors in the survey undertaking. The quality and completeness of data are ensured when the training meets its objective of producing responsible and fervent enumerators and supervisors.

In light of this point, the training was given to the field staff in two stages. The first stage training, which took place at the Head Quarters of CSA and lasted 7 days targeted staff from the Head Office, statisticians and senior field supervisors from Branch Statistical Offices. The staff that took part in the first stage training was then assigned to conduct similar training for the enumerators and other supervisors for 12 days in all the twenty-five Branch Statistical Offices distributed across the country.

In the training the field staff was given detailed classroom instruction on how to collect data, method of area measurement, interviewing procedures, etc. The training also included field practice to reinforce the understanding of concepts, definitions and theories discussed in the classroom with regard to field measurement, crop cutting, GPS reading and interviewing methods.

2.7. METHOD OF DATA COLLECTION

The agricultural data for the year 2009/10 (2002 E.C) was collected from sedentary rural peasant households by interviewing the selected agricultural holders and physically measuring their fields to obtain data on crop yields and other items of interest.

The data obtained were recorded in various forms designed for this purpose. Instruments like measuring tape; compass, kitchen balance, scientific calculators, GPS (Oromiya region only) and others were used during data collection for a timely and smooth acquisition of accurate data. The procedures for measuring area under crop and area of non - crop fields operated by the holders were performed for the 30 selected households from each sampled E.A. using measuring tapes and compasses.

2.8. DATA PROCESSING

a) Editing, Coding and Verification

Statistical data editing plays an important role in ensuring the quality of the collected survey data. It minimizes the effects of errors introduced while collecting data in the field, hence the need for data editing, coding and verification. Although coding and editing are done by the enumerators and supervisors in the field, respectively, verification of this task is done at the Head Office.

An editing, coding and verification instruction manual was prepared and reproduced for this purpose. Then 66 editors-coders and verifiers were trained for two days in editing, coding and verification using the aforementioned manual as a reference and teaching aid. The completed questionnaires were edited, coded and later verified on a 100 % basis before the questionnaires were passed over to the data entry unit. The editing, coding and verification exercise of all questionnaires took 18 days.

b) Data Entry, Cleaning and Tabulation

Before data entry, the Agriculture, Natural Resources and Environment Statistics Directorate of the CSA prepared edit specification for the survey for use on personal computers for data consistency checking purposes. The data on the edited and coded questionnaires were then entered into personal computers. The data were then checked

and cleaned using the edit specifications prepared earlier for this purpose. The data entry operation involved about 70 data encoders, 10 data encoder supervisors, 12 data cleaning operators and 55 personal computers. The data entered into the computers using the entry module of the CSPRO (Census and Survey Processing System) software, which is a software package developed by the United States Bureau of the Census. Following the data entry operations, the data was further reviewed for data inconsistencies, missing data ... etc. by the regular professional staff from Agriculture, Natural Resources and Environment Statistics Directorate. The final stage of the data processing was to summarizing the cleaned data and produce statistical tables that present the results of the survey using the tabulation component of the PC based CSPRO software produced by professional staff from Agriculture, Natural Resources and Environment Statistics Directorate.

2.9. CONCEPTS AND DEFINITIONS

Data items of agriculture have to be distinctly defined and identified, so that the information about the items becomes useful. The correct way of stating data items and related terms is a prerequisite for making standards and definitions for the collection and compilation of agricultural data. The purpose of using standard concepts and definitions is not only to provide quality data but also to ensure that the right items are enumerated and measured accurately to reflect the agricultural situation.

Standard concepts and definitions used in the survey help to maintain consistent enumeration and measurement of variables of interest. To achieve this, CSA communicates concepts and definitions to the field staff through training and instruction manuals. The concepts and definitions used in the survey included the following.

Enumeration Area (E.A): an enumeration area in the rural parts of the country is a locality that is, in most of the cases less than, and only in some cases equal to a farmers' association in geographical area and usually consists of 150-200 households.

Household: a household may be either:

a) a one person household, that is a person who makes provisions for his own living without combining with any other person to form part of a multi- person household or

b) a multi-person household, that is, a group of two or more persons who live together and make common provisions for food and other essentials of living. The persons in the group may pool their incomes and have a common budget to a greater or lesser extent. They may be related or unrelated persons or a combination of both. These persons are taken as members of the household.

Agriculture: - The growing of crops and/or raising of animals for own consumption and/or sale.

Agricultural Household: - a household is considered an agricultural household when at least one member of the household is engaged in growing crops and/or raising livestock in private or in combination with others.

Holding: - a holding is all the land and /or livestock kept, which is used wholly or partly for agricultural production and is operated as one legal entity by one person alone, or with others with out regard to management, organization, size or location.

Holder: - a holder is a person who exercises management control over the operation of the agricultural holding and makes the major decision regarding the utilization of the available resources. He/she has primary technical and economic responsibility for the holding. He/she may operate the holding directly as an owner or a manager. Under conditions of traditional agricultural holding the holder may be regarded as the person, who with or with out the help of others, operates land and/or raises livestock in his/ her own right, i.e. the person who decides on which, where, when, and how to grow crops or raise livestock or both and has the right to determine the utilization of the products.

Parcel: - a parcel of holding is any piece of land entirely surrounded by land and/or water and/or road and/or forest etc., which is not part of the holding. It may consist of one or more cadastral units, plots or fields adjacent to each other.

Field: - a field is defined as any plot of land which is a parcel or part of a parcel under the same or mixed crops or any other form of land use (private holding).

Crop: includes cereals, pulses, oilseeds, vegetables, root crops, fruits, coffee, Enset, Chat, hops, sugarcane, cotton, tobacco, etc produced for food, making drinks, stimulation and making fabrics or clothing.

Crop production: - the process of growing and harvesting of the above crops for own consumption and/or sale.

Temporary/Annual Crops: - Annual/temporary crops are crops, which are grown in less than a year's time, sometimes only a few months with an objective to sow or replant again for additional production following the current harvest. Continuously grown crops planted in rotation are also considered as temporary crops since each is harvested and destroyed by ploughing in preparation for each successive crop.

Permanent (Perennial) Crops: - Crops, which are grown and occupy land for a long period of time, not requiring replanting for several years after each harvest, are considered as permanent crops. All fruit trees (i.e. oranges, mandarin, bananas, etc) and trees for beverages (i.e. coffee, tea, hops (Gesho), etc) are considered permanent crops but meadows and pastures are excluded.

Meher (Main) Season Crop: - any temporary crop harvested between the months of Meskerm (September) and Yekatit (February) is considered as meher season crop.

Belg Season Crop: - any temporary crop harvested between the months of Megabit (March) and Pagume (August) is considered to be Belg Season Crop.

Note:-

1. If in some tables figures do not add up to total it is due to rounding
2. Those area and production designated by "*" in all tables could not be reported because of high coefficient of variation (i.e. they are less reliable). However, they are consolidated in the total estimates.
3. In all tables "-" indicates not reported.

PART III

SUMMARY OF SURVEY RESULTS

3.1 INTRODUCTION

By and large, agriculture in Ethiopia is subsistence. This is particularly true to the major food crops grown in the country and covered in the survey. The major food crops are produced in almost all regions of the country in spite of the variation in volume of production across the regions. The variation may be attributed to the extent of area devoted to each crop type, weather change and a shift in preference for the crops grown.

The food crops on which data is collected are the ones that are commonly grown by the majority of peasant holders. In the statistical tables these crops have been categorized into eight groups for simplicity of description and comparison purposes. The groups are cereals, pulses, oilseeds, vegetables, root crops, fruit crops, stimulant crops and sugar cane. Stimulant crops consist of Chat, coffee and hops.

Crop yield per area (amount of crop harvested per amount of land planted) is the most commonly used impact indicator for agricultural productivity activities. Crop yields are inevitably affected by many factors, these are weather, input price, changes in farming practices, amounts of fertilizer used, quality of seed varieties, and use of irrigation.

3.2 Major Findings of the Year 2009/10 (2002 E.C.), Post-Harvest Crop Production Survey, Meher Season

The results of the year 2009/10 (2002 E.C.), Meher Season Post-harvest Crop Production Survey has been summarized and quantitative information with regard to farm management practice, land use and utilization of agricultural produce will be made available at national and regional reporting levels, consecutively, following this report. This report, however, presents quantitative information on cropped land area and production of both temporary and permanent crops at Country and regional reporting levels.

In this section of the report, therefore, brief discussions on the major findings of the survey are presented as follows.

3.2.1 Grain Crops:- refer to the major crop category that included cereals, pulses and oilseeds, which are not only constituted the major food crops for the majority of the country's population but also served among others as a source of income at household level and contributes for the country's foreign currency earnings.

The results of the year 2009/10 (2002 E.C.), Meher Season Post-harvest Crop Production Survey indicate that a total land area of about 11.50 million hectares are covered by grain crops i.e. cereals, pulses and oilseeds, from which a total volume of about 180.76 million quintals of grains are obtained, from private peasant holdings (See Table 1 below).

Table 1 Total Area under and Production of Grain Crops for Private holdings, 2009/10 (2002 E.C.), Meher Season

Crop Category	Total Area in Hectare	%	Total Production in Qts	%
Cereals.....	9,233,025.14	80.26	155,342,279.88	85.94
Pulses.....	1,489,308.45	12.95	18,980,472.57	10.50
Oil Crop.....	780,915.89	6.79	6,436,143.98	3.56
Grain Crops.....	11,503,249.48	100	180,758,896.43	100

Note:- Assuming what has been estimated for 2008/09 belg season and commercial farms will be obtained during the current production year, the total sector crop production for the country in 2009/10 will be as follows :-

	<u>Grain Crops estimated Area in Ha</u>	<u>Estimated Production in Qts</u>
• Private holdings in 2009/10 Meher Season	11,503,249	180,748,896
• Commercial farms in both Seasons	342,106	5,201,721
• Private holdings in Belg Season	<u>1,209,571</u>	<u>7,749,436</u>
Grand Total	13,054,926	193,700,053

Within the category of grain crops, **cereals** are the major food crops both in terms of the area they are planted to and volume of production obtained. They are produced in larger volume compared with other crops because they are the principal staple crops. Cereals are grown in all the regions with varying quantity as shown in the survey results. The data in Table 1 well underpin this finding of the survey.

Out of the total grain crop area, 80.26% (9.23 million hectares) was under cereals. teff, maize, wheat and sorghum took up 22.5% (about 2.58 million hectares), 15.41% (about 1.77million hectares), 14.64% (1.68 million hectares) and 14.07% (1.62 million hectares) of the grain crop area, respectively. As to production, the tables paint similar picture as that of the area. Cereals contributed 85.94% (about 155.34 million quintals) of the grain production. Maize, wheat, Teff and sorghum made up 21.56% (38.97 million quintals), 17.02% (30.76 million quintals), 17.59% (31.79 million quintals) and 16.44% (29.71 million quintals) of the grain production, in the same order.

The survey results show that the private peasant holders grow various crops for own consumption and/ or economic benefits. Pulses are also among the various crops produced in all the regions of the country after cereals. Pulses are grown in different volumes across the country as indicated in Table 2.


Pulses grown in 2009 /10 (2002 E.C) covered 12.95% (1.49 million hectares) of the grain crop area and 10.5% (more than 18.98 million quintals) of the grain production was drawn from the same crops. Faba beans, haricot beans, and field peas were planted to 4.45% (more than 512 thousand hectares), 2.12% (more than 244 thousand hectares) and 1.97% (about 226 thousand hectares) of the grain crop area. The production obtained from faba beans, chick-peas, and haricot beans was 3.38% (about 6.11 million), 1.57% (about 2.85 million) and 2.01(3.63 million) quintals of the grain production, in that order.

Oilseeds refe to crops which are also classified within grain crops category, nonetheless. oilseeds are grown to flavour the food consumed at home and earn some cash for peasant holders in the country. Various oil crops are produced in all the regions with differing quantity as illustrated in the survey results. Table 1 underscores this point in detail.

Oilseeds added 6.79% (about 780 thousand hectares) of the grain crop area and 3.56% (about 6.44 million quintals) of the production to the national grain total. Neug, sesame and linseed covered 2.23% (about 256 thousand hectares), 2.75% (more than 315 thousand hectares) and 1.22% (more than 140 thousand hectares) of the grain crop area and 0.87%

(about 1.57 million quintals), 1.44% (about 2.61 million quintals) and 0.83% (about 1.51 million quintals) of the grain production, respectively.

3.2.2 Vegetables- holders living near to urban centres largely practice vegetable farming. Most vegetables are not commonly practiced by the rural private peasant holders, hence the small volume of production recorded as well evidenced by the survey results. Statistical Table 1 underlines this more in the report. Vegetables took up about 1.07% of the area under all crops at national level. Of all the area under vegetables 64.93% and 23.69% was under red peppers and Ethiopian Cabbage, respectively. As to production of vegetables, 28.59% and 49.20% was that of the same crops, in that order.



3.2.3 Root Crops - Some root crops like onion and garlic are indispensable to improve the taste and scent of the food we eat. Others like potatoes, sweet potatoes and taro/ Godere are among the list of major food crops that are consumed across the country. These and other economic importances prompt the peasant holders to grow many of the root crops as shown in the survey results. Table 2 substantiates this point in more details.

Table 2 - Area, Production and Yield of Crops for Private Peasant Holdings for Meher Season 2009/2010 (2002 E.C)


Ethiopia

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	12,208,970	11,503,249.48	180,758,896	
Cereals	11,857,352	9,233,025.14	155,342,280	
Teff	5,630,440	2,588,661.14	31,793,743	12.28
Barley	4,365,199	1,129,112.36	17,504,436	15.5
Wheat	4,666,194	1,683,565.26	30,756,436	18.27
Maize	7,148,501	1,772,253.11	38,971,631	21.99
Sorghum	4,072,328	1,618,677.24	29,712,655	18.36
Finger millet	1,346,755	368,999.15	5,241,911	14.21
Oats/Aja'	253,886	24,017.99	330,191	13.75
Rice	126,432	47,738.88	1,031,277	21.6
Pulses	6,659,923	1,489,308.45	18,980,473	
Faba beans	3,689,452	512,067.20	6,108,453	11.93
Field peas	1,493,441	226,532.57	2,358,721	10.41
Haricot beans	2,153,146	244,012.88	3,628,903	14.87
Chick-peas	941,999	213,187.14	2,846,398	13.35
Lentils	727,002	105,956.04	1,237,772	11.68
Vetch	670,593	135,657.67	2,040,196	15.04
Soya beans	62,508	5,678.69	.	.
Fenugreek	402,227	21,183.02	271,220	12.8
Gibto	105,717	25,033.25	416,759	16.65
Oilseeds	2,737,845	780,915.89	6,436,144	
Neug	878,875	256,794.20	1,578,467	6.15
Linseed	891,217	140,800.92	1,506,285	10.7
Groundnuts	211,694	41,578.79	464,248	11.17
Sunflower	89,998	4,652.53	55,524	11.93
Sesame	582,400	315,842.80	2,605,343	8.25
Rapeseed	494,999	21,246.65	226,277	10.65
Vegetables	5,060,004	138,392.53	5,573,568	
Lettuce	37,591	.	.	.
Head Cabbage	274,662	2,561.71	203,881	79.59
Ethiopian Cabbage	2,799,879	32,782.45	2,741,975	83.64
Tomatoes	194,704	4,952.90	404,261	81.62
Green peppers	812,431	7,849.75	614,637	78.3
Red peppers	1,776,393	89,862.11	1,593,275	17.73
Swiss chard	97,809	227.43	6,392	28.1
Root Crops	5,038,428	212,208.33	18,063,778	
Beetroot	257,382	1,096.31	100,785	91.93
Carrot	157,032	2,712.70	182,293	67.2
Onion	556,342	17,588.41	1,693,168	96.27
Potatoes	1,371,759	69,783.60	5,723,325	82.02
Garlic	2,079,195	15,361.25	1,796,578	116.96
Taro/Godere'	956,894	52,200.84	4,060,001	77.78
Sweet potatoes	1,296,460	53,465.22	4,507,628	84.31
Fruit Crops	2,625,123	53,086.49	4,089,115	77.03
Avocados	781,233	5,693.74	376,509	66.13
Bananas	1,522,523	29,408.90	2,085,962	70.93
Guavas	238,781	1,944.39	29,285	15.06
Lemons	157,560	753.34	62,131	82.47
Mangoes	681,084	8,629.88	656,199	76.04
Oranges	336,467	3,471.01	438,276	126.27
Papayas	564,885	3,066.64	436,576	142.36
Pineapples	11,022	.	.	.
Chat	1,723,263	138,811.38	1,162,797	8.38
Coffee	2,959,093	395,003.48	2,654,693	6.72
Hops	1,615,533	23,997.98	309,384	12.89
Sugar Cane	762,720	18,908.42	6,724,394	355.63
Enset	3,447,810	395,632.45	8,015,531	20.26

Root crops covered more than 1.65% of the area under all crops in the country. Potatoes, sweet potatoes and taro ('Godere') added 32.88%, 25.19% and 24.6% of the area to the root crop total. The same crops and onion contributed 31.88%, 24.95%, 22.48% and 9.37% to the root crop production total in the same order.

3.2.4 Fruit Crops – The survey results show that fruit crops grown by the private peasant holders cover only a small token area and production in the country. The number of holders practicing fruit farming is much less than that of grains or cereals as indicated in the tables.

More than 53 thousand hectares of land is under fruit crops in private peasant holdings. Bananas contributed about 55.40% of the fruit crop area followed by mangoes that contributed 16.26% of the area. More than 4.08 million quintals of fruits was produced in the country. Bananas, Papayas, mangoes and oranges took up 51.01%, 10.68%, 16.05% and 10.72% of the fruit production, respectively, as shown in Table 2.



3.2.5 Stimulant crops – Farmers engaged in growing and producing stimulant crops such as coffee and Chat are greater in number than those growing fruits. The area and production of these crops are also larger than that of fruits since they earn a considerable amount of cash for the holders. Table 1 show Chat and coffee shared 1.08% and 3.07% of

the area under all crops in the country and 1.16 and 2.65 million quintals of produce was obtained from these crops in the same agricultural year respectively.

3.2.6 Sugar Cane- is grown in small areas in some parts of the country within the private peasant holdings. More than 18 thousand hectares of land was under sugar cane in the country, yielding more than 6.72 million quintals of produce by the peasant holders. But the production is not usually used for industrial purposes. It is noticeably used up in household consumption.

3.2.7 Enset:- is grown in south-western part of the country and covers considerable land area within the private holdings. More than 395 thousand hectares of land was under Enset in the country, yielding more than 8.02 million quintals of produce by the peasant holders


3.3 Comparison of the current year (2009/10) Post Harvest Crop yield with last year (2008/09), estimates.

In this section of the report an attempt has been made to compare the post-harvest crop productivity estimates of selected important food crops obtained from the 2009/10 (2002 E.C.) Agricultural Sample Survey with last year i.e. 2008/09 crop yield estimates of the same crops.

The presentation of such comparisons are believed to give a bird's eye view whether, or not the current year estimated increase in the volume of production over the last year estimate, is effected from increased cropped area or due to the attainment of enhanced crop yield or the contribution of both. Of course, it should be noted that, except the progress made during the last few years, the the agricultural sector in Ethiopia had remained stagenant for centuries with limited progress in few specific areas.

Consequently, the results of such comparison are believed to serve as problem area indicators for concerned stakeholders to develop and implement corrective measures, so as to accelerate the speed of transforming the existing agriculture into commercial agriculture. Thus, to meet the so far mentioned objectives, the following brief discussion on the results of crop productivity comparisons is made for selected important food crops at country level:

Fig. 3 The 2009/10 and 2008/09 Crop Yield estimates for Selected Important crops, Private Holdings, Meher Season



In the year 2009/10 (2002 E.C.) Meher season post-harvest Crop Production Survey, both the estimated cropped land area and the volume of grain crops production obtained have increased by about 2.61 % and 5.60% over last year 2008/09 post harvest estimate. However, with regard to estimated crop yield, crops such as barely, maize and oats within the category of cereals, crops such as faba beans, haricot beans, chickpease and soyabeans within the category of pulses as well as crops such as sufflower and rape seed within the category of oilcrops, have shown a decrease that ranges from 10.10% for field peas to 0.15% for chickpeas in the current year post-harvest estimated crop yield when compared with last year estimates. On the other hand, a number of crops within the grain crops category have shown significant increment in the current year post harvested estimated yield when compared with last year i.e. 2008/09 estimates. For instance, the estimated crop productivity of important food crops such as. teff, wheat, haricot beans, neug, linseed and sufflower have shown considerable increment, where the increment ranges from 42.36% for sufflower to 0.66% for teff (See Figure 3 & Statistical Table 4).

Table 3 - Estimate of Area and Production of Grain Crops for 2008/2009 (2001 E.C) and 2009/2010 (2002 E.C), Meher Season

Region	Area in hectare			Production in quintal		
	2009 / 10 (2002 E.C)	2008 / 09 (2001 E.C)	% Change	2009 / 10 (2002 E.C)	2008 / 09 (2001 E.C)	% Change
TIGRAY	856,330	885,835	-3.33	11,486,773.07	12,349,722	-6.99
AFAR	*	17,423	*	*	425,491	*
AMHARA	3,997,750	3,973,611	0.61	57,105,217.80	56,721,904	0.68
OROMIA	5,348,593	5,073,271	5.43	90,712,995.53	82,384,641	10.11
SOMALI	69,789	75,142	-7.12	1,172,662.20	1,676,584	-30.06
BENISHANGUL-GUMUZ	188,392	192,422	-2.09	3,252,672.58	2,764,377	17.66
S.N.N.P.R.	1,006,725	964,379	4.39	16,491,768.74	14,336,202	15.04
GAMBELA	9,715	10,342	-6.07	191,715.20	244,398	-21.56
HARARI	9,855	10,166	-3.06	102,192.10	159,035	-35.74
DIRE DAWA	10,045	7,909	27.00	99,204.88	105,051	-5.57
ALL	11,503,249	11,210,501	2.61	180,758,896	171,167,405	5.60

Fig. 1. Area and Production of Grain Crops by Region, 2008/09 and 2009/10, Meher Seasons




Table 4 - Estimate of Area, Production and Yield of Crops for 2008/2009 (2001 E.C) and 2009/2010 (2002 E.C), Meher Season

Ethiopia

Crop	Area in hectare			Production in quintal			Yield (quintal / hectare)		
	2009 / 10	2008 / 09	%	2009 / 10	2008 / 09	%	2009 / 10	2008 / 09	%
	(2002 E.C)	(2001 E.C)	Change	(2002 E.C)	(2001 E.C)	Change	(2002 E.C)	(2001 E.C)	Change
Grain crops	11,503,249	11,210,501	2.61	180,758,896	171,167,405	5.60			
Cereals	9,233,025	8,770,118	5.28	155,342,280	144,964,059	7.16			
Teff	2,588,661	2,481,333	4.33	31,793,743	30,280,181	5.00	12.28	12.20	0.66
Barley	1,129,112	977,757	15.48	17,504,436	15,194,042	15.21	15.5	15.54	-0.26
Wheat	1,683,565	1,453,817	15.80	30,756,436	25,376,398	21.20	18.27	17.46	4.64
Maize	1,772,253	1,768,122	0.23	38,971,631	39,325,217	-0.90	21.99	22.24	-1.12
Sorghum	1,618,677	1,615,297	0.21	29,712,655	28,043,510	5.95	18.36	17.36	5.76
Finger millet	368,999	408,099	-9.58	5,241,911	5,603,045	-6.45	14.21	13.73	3.50
Oats / 'Aja'	24,018	30,605	-21.52	330,191	427,729	-22.80	13.75	13.98	-1.65
Rice	47,739	35,088	36.05	1,031,277	713,937	44.45	21.6	20.35	6.14
Pulses	1,489,308	1,585,236	-6.05	18,980,473	19,646,301	-3.39			
Faba beans	512,067	538,820	-4.97	6,108,453	6,959,837	-12.23	11.93	12.92	-7.66
Field peas	226,533	230,749	-1.83	2,358,721	2,670,933	-11.69	10.41	11.58	-10.10
Haricot beans	244,013	267,069	-8.63	3,628,903	3,297,753	10.04	14.87	12.35	20.40
Chick-peas	213,187	233,440	-8.68	2,846,398	3,120,800	-8.79	13.35	13.37	-0.15
Lentils	105,956	94,946	11.60	1,237,772	947,734	30.60	11.68	9.98	17.03
Grass peas	135,658	159,731	-15.07	2,040,196	2,021,255	0.94	15.04	12.65	18.89
Soya beans	5,679	6,236	-8.94	72,050	78,989	-8.79	12.69	12.67	0.16
Fenugreek	21,183	33,774	-37.28	271,220	376,589	-27.98	12.8	11.15	14.80
Gibto	25,033	20,469	22.30	416,759	172,411	141.72	16.65	8.42	97.74
Oilseeds	780,916	855,147	-8.68	6,436,144	6,557,044	-1.84			
Neug	256,794	313,445	-18.07	1,578,467	1,907,523	-17.25	6.15	6.09	0.99
Linseed	140,801	180,873	-22.15	1,506,285	1,560,793	-3.49	10.74	8.63	24.45
Groundnuts	41,579	41,761	-0.44	464,248	468,872	-0.99	11.17	11.23	-0.53
Safflower	4,653	7,853	-40.76	55,524	65,814	-15.63	11.93	8.38	42.36
Sesame	315,843	277,992	13.62	2,605,343	2,167,407	20.21	8.25	7.8	5.77
Rape seed	21,247	33,223	-36.05	226,277	386,637	-41.48	10.65	11.64	-8.51
Vegetables	138,393	162,125	-14.64	5,573,568	5,988,571	-6.93			
Lettuce	156	*	*	9,149	*	*	58.58	*	*
Head cabbage	2,562	3,400	-24.64	203,881	241,335	-15.52	79.61	70.99	12.14
Eth. Cabbage	32,782	33,901	-3.30	2,741,975	2,815,668	-2.62	83.34	83.06	0.34
Tomatoes	4,953	5,342	-7.28	404,261	418,150	-3.32	81.66	78.28	4.32
Green peppers	7,850	8,581	-8.52	614,637	658,725	-6.69	78.01	76.77	1.62
Red peppers	89,862	110,406	-18.61	1,593,275	1,834,026	-13.13	17.73	16.61	6.74
Swiss chard	227	243	-6.45	6,392	6,809	-6.13	28.1	28.01	0.32
Root crops	212,208	145,742	45.61	18,063,778	12,136,043	48.84			
Beetroot	1,096	2,119	-48.27	100,785	209,927	-49.84	91.93	94.82	-3.05
Carrot	2,713	*	*	182,293	134,666	35.37	67.2	*	*
Onion	17,588	15,628	12.54	1,693,168	1,488,549	13.75	96.27	95.25	1.07
Potatoes	69,784	48,113	45.04	5,723,325	3,840,457	49.03	82.02	79.82	2.76
Garlic	15,361	14,137	8.66	1,796,578	1,560,477	15.13	116.96	110.38	5.96
Taro / 'Godere'	52,201	30,251	72.56	4,060,001	2,282,428	77.88	77.78	75.45	3.09
Sweet potatoes	53,465	33,070	61.67	4,507,628	2,628,539	71.49	84.31	79.48	6.08
Fruit crops	53,086	47,990	10.62	4,089,115	3,512,593	16.41			
Avocados	5,694	5,067	12.36	376,509	324,519	16.02	66.03	64.04	3.11
Bananas	29,409	29,064	1.19	2,085,962	1,943,331	7.34	70.94	66.86	6.10
Guavas	1,944	1,320	47.35	29,285	19,474	50.38	15.07	14.76	2.10
Lemons	753	754	-0.06	62,131	48,713	27.54	76.86	64.62	18.94
Mangoes	8,630	6,051	42.61	656,199	441,582	48.60	75.96	72.97	4.10
Oranges	3,471	2,440	42.27	438,276	293,410	49.37	125.95	120.27	4.72
Papayas	3,067	3,254	-5.77	436,576	440,035	-0.79	141.99	135.22	5.01
Pineapples	119	40	194.73	4,176	*	*	35.21	*	*
Chat	138,811	138,145	0.48	1,162,797	1,149,211	1.18	8.35	8.32	0.36
Coffee	395,003	391,296	0.95	2,654,693	2,602,392	2.01	6.72	6.65	1.05
Hops	23,998	24,409	-1.68	309,384	302,813	2.17	12.78	12.41	2.98
Sugar cane	18,908	15,602	21.19	6,724,394	5,594,041	20.21	355.63	358.55	-0.81
Enset	395,632	278,668	41.97	8,015,531	5,565,899	44.01	20.32	19.97	1.75

**Table 5 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)**

Tigray

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops.....	941,347	856330.49	11486773.07	
Cereals.....	934,864	693967.25	9625716.14	
Teff.....	530,566	187858.61	2039993.98	10.86
Barley.....	447,284	106787.74	1440496.11	13.49
Wheat.....	402,819	113595.76	1771643.59	15.6
Maize.....	527,007	64649.07	822298.13	12.72
Sorghum.....	326,645	155420.96	2808587.00	18.07
Finger millet.....	252,901	64612.04	741605.96	11.48
Oats/Aja'.....
Rice.....
Pulses.....	430,727	63797.70	794859.66	
Faba beans.....	249,109	19726.93	249056.41	12.63
Field peas.....	80,323	8330.71	108252.63	12.99
Haricot beans.....	30,364	4076.43	46854.86	11.49
Chick-peas.....	72,929	13548.86	177803.44	13.12
Lentils.....	75,407	7909.51	95617.05	12.09
Grass Peas.....	47,044	9459.05	113402.84	11.99
Soya beans.....
Fenugreek.....	21,358	691.00	3872.43	5.6
Gibto.....
Oilseeds.....	250,459	98565.54	1066197.27	
Neug.....	50,360	6744.15	63790.04	9.46
Linseed.....	100,192	13147.93	116743.06	8.88
Groundnuts.....
Safflower.....
Sesame.....	125,725	78052.64	874746.34	11.21
Rape seed.....
Vegetables.....	220,049	3681.81	158503.55	
Lettuce.....	2,453	3.35	337.44	100.73
Head Cabbage.....	1,947	.	.	.
Ethiopian Cabbage.....
Tomatoes.....	25,034	448.33	48809.98	108.87
Green peppers.....	63,101	632.72	75264.63	118.95
Red peppers.....	143,687	2559.53	32326.13	12.63
Swiss chard.....	5,823	16.62	1138.69	68.51
Root Crops.....	108,765	1822.83	206952.97	
Beetroot.....
Carrot.....
Onion.....	21,041	340.60	47728.87	140.13
Potatoes.....	36,320	907.05	77987.07	85.98
Garlic.....	74,768	552.23	79443.00	143.86
Taro/Godere'.....
Sweet potatoes.....
Fruit Crops.....	45,897	1002.13	26962.59	26.91
Avocados.....
Bananas.....	4,651	.	.	.
Guavas.....	16,336	108.10	.	.
Lemons.....	17,332	.	.	.
Mangoes.....	2,688	29.37	.	.
Oranges.....	6,817	.	.	.
Papayas.....	21,151	397.89	19641.55	49.36
Pineapples.....
Chat.....	16,030	.	.	.
Coffee.....	10,614	.	.	.
Hops.....	120,720	1132.84	36489.76	32.21
Sugar Cane.....
Enset.....

Table 6 - Area, Production and Yield of Crops for Private Peasant Holdings for Meher Season 2009/2010 (2002 E.C)

Afar Region				
Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	7,345	6,056.56	143,694.34	
Cereals	7,308	5,697.12	142,051.77	
Teff.....	2,316	-	-	-
Barley.....	-	-	-	-
Wheat.....	-	-	-	-
Maize.....	6,507	3,498.58	128,964.04	36.86
Sorghum.....	-	578.4	7,834.90	13.55
Finger millet.....	-	-	-	-
Oats/Aja'.....	-	-	-	-
Rice.....	-	-	-	-
Pulses	870	-	-	-
Faba beans.....	-	-	-	-
Field peas.....	-	-	-	-
Haricot beans.....	-	-	-	-
Chick-peas.....	-	-	-	-
Lentils.....	-	-	-	-
Grass Peas.....	-	-	-	-
Soya beans.....	-	-	-	-
Fenugreek.....	-	-	-	-
Gibto.....	-	-	-	-
Oilseeds	-	-	-	-
Neug.....	-	-	-	-
Linseed.....	-	-	-	-
Groundnuts.....	-	-	-	-
Safflower.....	-	-	-	-
Sesame.....	-	-	-	-
Rape seed.....	-	-	-	-
Vegetables	606	-	-	-
Lettuce.....	-	-	-	-
Head Cabbage.....	-	-	-	-
Ethiopian Cabbage.....	-	-	-	-
Tomatoes.....	-	-	-	-
Green peppers.....	-	-	-	-
Red peppers.....	450	-	-	-
Swiss chard.....	-	-	-	-
Root Crops	264	-	-	-
Beetroot.....	-	-	-	-
Carrot.....	-	-	-	-
Onion.....	-	-	-	-
Potatoes.....	207	-	-	-
Garlic.....	-	-	-	-
Taro/Godere'.....	-	-	-	-
Sweet potatoes.....	-	-	-	-
Fruit Crops	-	-	-	-
Avocados.....	-	-	-	-
Bananas.....	-	-	-	-
Guavas.....	-	-	-	-
Lemons.....	-	-	-	-
Mangoes.....	-	-	-	-
Oranges.....	-	-	-	-
Papayas.....	-	-	-	-
Pineapples.....	270	-	-	-
Chat	-	-	-	-
Coffee	-	-	-	-
Hops	-	-	-	-
Sugar Cane	-	-	-	-
Enset	-	-	-	-

**Table 7 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)**

Amhara Region

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	3,523,891	3,997,749.90	57,105,217.80	
Cereals	3,491,338	2,986,621.87	46,301,971.90	
Teff.....	2,168,938	1,001,028.47	12,860,563.42	12.85
Barley.....	1,533,878	387,862.40	5,067,683.72	13.07
Wheat.....	1,668,522	548,315.25	8,960,927.31	16.34
Maize.....	1,983,295	355,508.17	8,010,693.99	22.53
Sorghum.....	903,114	486,467.74	7,922,460.70	16.29
Finger millet.....	492,212	164,321.16	2,495,092.51	15.18
Oats/Aja'.....	104,043	8,742.51	123,639.49	14.14
Rice.....	64,092	34,376.16	.	.
Pulses	2,248,657	694,671.70	8,541,004.37	
Faba beans.....	1,434,186	232,535.13	2,602,238.28	11.19
Field peas.....	685,494	108,469.23	1,060,383.78	9.78
Haricot beans.....	296,227	51,247.46	852,206.53	16.63
Chick-peas.....	499,592	113,337.02	1,456,408.67	12.85
Lentils.....	408,922	62,827.37	620,625.91	9.88
Grass Peas.....	397,492	85,262.04	1,288,389.32	15.11
Soya beans.....
Fenugreek.....	188,773	14,236.43	204,363.94	14.35
Gibto.....	102,638	24,890.64	415,310.94	16.69
Oilseeds	1,204,242	316,456.33	2,262,241.53	
Neug.....	355,889	75,303.79	511,090.96	6.79
Linseed.....	315,263	31,960.61	184,696.94	5.78
Groundnuts.....	19,522	.	.	.
Safflower.....	72,388	4,013.81	43,547.65	10.85
Sesame.....	266,250	185,782.18	1,296,604.52	6.98
Rape seed.....	381,231	16,415.27	187,445.07	11.42
Vegetables	1,303,575	37,117.42	872,094.59	
Lettuce.....	6,072	.	.	.
Head Cabbage.....	82,160	345.86	30,321.59	87.67
Ethiopian Cabbage.....	255,927	1,599.11	143,501.90	89.74
Tomatoes.....	51,534	392.18	.	.
Green peppers.....	167,472	2,141.22	185,924.68	86.83
Red peppers.....	862,043	32,561.99	480,032.75	14.74
Swiss chard.....	27,752	.	582.79	.
Root Crops	1,457,515	36,340.79	3,519,150.20	
Beetroot.....	41,115	.	.	.
Carrot.....	30,616	136.07	6,874.43	50.52
Onion.....	165,629	3,648.79	404,411.82	110.83
Potatoes.....	499,939	24,129.65	2,154,050.07	89.27
Garlic.....	1,108,883	8,072.72	930,969.81	115.32
Taro/Godere'.....
Sweet potatoes.....	21,802	196.41	9,399.86	47.86
Fruit Crops	215,260	2,846.78	239,557.97	84.15
Avocados.....	21,978	.	.	.
Bananas.....	59,000	626.77	13,539.01	21.6
Guavas.....	43,402	190.6	2,920.97	15.33
Lemons.....	49,473	244.69	33,698.49	137.72
Mangoes.....	42,141	213.31	15,421.86	72.3
Oranges.....	60,245	979.51	.	.
Papayas.....	50,022	.	.	.
Pineapples.....
Chat.....	176,869	6,436.63	45,951.48	7.14
Coffee.....	226,781	5,423.67	19,898.17	3.67
Hops.....	891,803	15,189.03	110,276.58	7.26
Sugar Cane.....	62,058	1,066.20	.	.
Enset.....	4,343	5.79	.	.

Table 8 - Area, Production and Yield of Crops for Private Peasant Holdings for Meher Season 2009/2010 (2002 E.C)

Oromia Region

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	4,859,822	5,348,592.85	90,712,995.53	
Cereals	4,756,109	4,466,527.59	80,538,211.02	
Teff	2,140,224	1,182,810.77	14,368,405.08	12.15
Barley	1,602,528	542,476.08	9,685,632.14	17.85
Wheat	1,844,019	857,603.04	16,782,415.27	19.57
Maize	2,978,603	1,000,055.87	23,255,330.29	23.25
Sorghum	1,883,150	754,878.14	14,656,767.28	19.42
Finger millet	471,490	105,610.88	1,471,754.13	13.94
Oats/Aja'	126,800	14,147.33	193,557.40	13.68
Rice	42,075	8,945.47	124,349.43	13.9
Pulses	2,309,385	559,779.91	7,474,028.36	
Faba beans	1,271,326	205,519.57	2,649,528.31	12.89
Field peas	387,474	77,397.47	892,812.03	11.54
Haricot beans	828,328	114,706.95	1,559,665.48	13.6
Chick-peas	299,918	79,404.89	1,141,574.58	14.38
Lentils	215,931	34,248.11	514,696.11	15.03
Grass Peas	223,267	40,673.13	636,170.52	15.64
Soya beans	30,825	1,738.72	18,326.84	10.54
Fenugreek	168,067	6,054.22	61,254.49	10.12
Gibto				
Oilseeds	1,071,108	322,285.35	2,700,756.14	
Neug	438,649	163,785.42	950,343.18	5.8
Linseed	406,637	92,674.57	1,183,155.03	12.77
Groundnuts	126,814	26,654.89	240,285.24	9.01
Safflower	10,945			
Sesame	123,818	34,154.17	279,718.70	8.19
Rape seed	96,989	4,535.35	37,872.59	8.35
Vegetables	1,820,872	50,842.92	1,781,167.66	
Lettuce	17,723			
Head Cabbage	106,459	1,658.36		
Ethiopian Cabbage	1,044,828	11,467.26		
Tomatoes	33,982		724,776.94	63.2
Green peppers	389,278	3,445.58		
Red peppers	540,284	32,590.37	212,258.20	61.6
Swiss chard	24,031	101.12	575,353.06	17.65
Root Crops	1,990,656	91,021.45	7,250,190.49	
Beetroot	109,837	668.51	69,390.97	103.8
Carrot	71,589	2,373.25	161,571.37	68.08
Onion	227,530	9,968.38	924,840.94	92.78
Potatoes	451,078	32,032.32	2,495,607.45	77.91
Garlic	740,017	6,078.33	752,000.62	123.72
Taro/Godere'	236,883	8,452.26	524,731.34	62.08
Sweet potatoes	695,217	31,448.40	2,322,047.80	73.84
Fruit Crops	942,354	16,470.70	1,133,189.92	68.8
Avocados	125,383	1,349.86	80,173.66	59.39
Bananas	545,797	8,976.12	562,827.16	62.7
Guavas	114,338	1,213.04	18,423.52	15.19
Lemons	24,328	56.93	2,511.38	44.11
Mangoes	298,960	3,392.72	250,313.27	73.78
Oranges	101,867	803.11	89,838.63	111.86
Papayas	201,733	672.75	128,975.11	191.71
Pineapples	2,554	6.16	127.2	20.65
Chat	904,912	96,659.86	792,182.76	8.2
Coffee	1,139,554	278,161.11	1,929,795.07	6.94
Hops	375,362	5,820.18	130,658.83	22.45
Sugar Cane	246,877	10,739.43	3,305,102.00	307.75
Enset	1,087,431	105,367.79	2,021,710.77	19.19

**Table 9 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)**

Somali Region

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops.....	87,816	69,789.27	1,172,662.20	
Cereals.....	87,139	67,095.02	1,105,199.83	
Teff.....	-	-	-	-
Barley.....	7,158	3,015.79	18,460.49	6.12
Wheat.....	11,051	4,364.13	72,244.97	16.55
Maize.....	69,275	26,998.54	440,831.70	16.33
Sorghum.....	60,217	32,704.78	573,535.49	17.54
Finger millet.....	-	-	-	-
Oats/Aja'.....	-	-	-	-
Rice.....	-	-	-	-
Pulses.....	6,231	575.71	8,590.88	
Faba beans.....	-	-	-	-
Field peas.....	-	-	-	-
Haricot beans.....	4,675	431.61	-	-
Chick-peas.....	*	*	-	-
Lentils.....	*	*	-	-
Grass Peas.....	-	-	-	-
Soya beans.....	-	-	-	-
Fenugreek.....	*	*	-	-
Gibto.....	-	-	-	-
Oilseeds.....				
Neug.....	-	-	-	-
Linseed.....	-	-	-	-
Groundnuts.....	-	-	-	-
Safflower.....	-	-	-	-
Sesame.....	-	-	-	-
Rape seed.....	-	-	-	-
Vegetables.....	6,177			
Lettuce.....	-	-	-	-
Head Cabbage.....	-	-	-	-
Ethiopian Cabbage.....	-	-	-	-
Tomatoes.....	*	*	-	-
Green peppers.....	*	*	-	-
Red peppers.....	*	*	-	-
Swiss chard.....	-	-	-	-
Root Crops.....	4,088			
Beetroot.....	-	-	-	-
Carrot.....	-	-	-	-
Onion.....	*	*	-	-
Potatoes.....	*	*	-	-
Garlic.....	*	*	-	-
Taro/Godere'.....	-	-	-	-
Sweet potatoes.....	-	-	-	-
Fruit Crops.....	4,083	584.05		
Avocados.....	-	-	-	-
Bananas.....	-	-	-	-
Guavas.....	*	*	-	-
Lemons.....	1,377	47.02	1,927.22	40.99
Mangoes.....	1,253	-	-	-
Oranges.....	1,158	-	-	-
Papayas.....	*	*	-	-
Pineapples.....	-	-	-	-
Chat.....	17,135	4,278.80	41,190.00	9.63
Coffee.....	*	*	-	-
Hops.....	-	-	-	-
Sugar Cane.....	*	*	-	-
Enset.....	*	*	-	-

Table 10 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)

Benishangul-Gumuz Region

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	146,658	188,391.80	3,252,672.58	
Cereals	145,952	148,212.53	2,845,687.66	
Teff	35,022	18,632.31	182,564.59	9.8
Barley	5,312	874.3	9,392.63	10.74
Wheat	6,368	.	.	.
Maize	130,843	35,953.40	801,218.72	22.28
Sorghum	102,885	59,963.23	1,327,809.84	22.14
Finger millet	52,340	28,391.84	442,684.65	15.59
Oats/Aja'	1,000	87.6	.	.
Rice	3,583	584.81	6,988.75	11.95
Pulses	53,369	7,288.09	109,627.10	
Faba beans	6,415	624.69	8,223.09	13.16
Field peas	4,320	659.93	.	.
Haricot beans	35,123	4,302.58	79,976.73	18.59
Chick-peas	3,315	236.94	1,193.99	5.04
Lentils	975	46.61	.	.
Grass Peas
Soya beans	10,069	1,321.43	10,572.95	8
Fenugreek	774	7.05	.	.
Gibto
Oilseeds	89,703	32,891.18	297,357.83	
Neug	31,588	10,724.02	51,070.48	4.76
Linseed	7,557	.	.	.
Groundnuts	29,786	6,752.98	99,726.66	14.77
Safflower	1,535	47.13	435.22	9.23
Sesame	53,232	14,741.26	143,337.86	9.72
Rape seed
Vegetables	51,471	1,709.31	45,301.81	
Lettuce
Head Cabbage	2,537	11.09	1,394.64	125.76
Ethiopian Cabbage	3,982	62.43	3,115.09	49.9
Tomatoes	6,280	26.74	.	.
Green peppers	8,512	79.71	.	.
Red peppers	38,939	1,528.73	32,306.42	21.13
Swiss chard	693	0.62	.	.
Root Crops	42,104	879.18	73,649.72	
Beetroot	2,616	3.94	508.83	129.14
Carrot	801	.	.	.
Onion	7,383	66.81	.	.
Potatoes	5,698	.	.	.
Garlic	9,651	51.13	5,822.33	113.87
Taro/Godere'	3,698	45.72	1,338.75	29.28
Sweet potatoes	27,428	386.72	26,055.82	67.38
Fruit Crops	59,334	1,443.50	114,635.47	79.41
Avocados	1,708	5.65	.	.
Bananas	22,484	416.9	26,391.77	63.3
Guavas	5,832	25.72	22.84	0.89
Lemons	6,083	28.12	1,537.84	54.69
Mangoes	43,155	849.7	73,495.81	86.5
Oranges	9,017	66.92	2,983.61	44.58
Papayas	15,292	50.42	10,177.52	201.85
Pineapples
Chat	12,394	317.47	.	.
Coffee	21,634	754.23	2,594.02	3.44
Hops	12,861	78.17	1,883.69	24.1
Sugar Cane	3,201	77.27	15,622.36	202.18
Enset	520	7.7	.	.

**Table 11 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)**

S.N.N.P. Region

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	2,571,752	1,006,724.81	16,491,768.74	
Cereals.....	2,365,420	837,849.64	14,406,368.21	
Teff.....	753,261	196,701.83	2,336,961.52	11.88
Barley.....	767,845	88,038.46	1,282,189.12	14.56
Wheat.....	729,460	155,660.71	3,089,909.82	19.85
Maize.....	1,412,815	278,927.61	5,390,794.21	19.33
Sorghum.....	741,225	108,743.79	2,167,101.90	19.93
Finger millet.....	77,592	6,020.19	89,980.50	14.95
Oats/Aja'.....	20,551	769.24	11,128.35	14.47
Rice.....	*	*	*	*
Pulses.....	1,600,229	162,694.55	2,048,351.74	
Faba beans.....	727,928	53,627.90	599,406.85	11.18
Field peas.....	335,744	31,671.95	289,339.90	9.14
Haricot beans.....	947,881	68,837.36	1,079,358.13	15.68
Chick-peas.....	65,025	6,488.32	67,657.70	10.43
Lentils.....	25,183	912.14	6,564.67	7.2
Grass Peas.....	*	*	*	*
Soya beans.....	14,159	*	*	*
Fenugreek.....	22,903	186.45	*	*
Gibto.....	*	*	*	*
Oilseeds.....	102,156	6,180.61	37,048.79	
Neug.....	*	*	*	*
Linseed.....	61,040	2,385.05	19,061.52	7.99
Groundnuts.....	14,923	607.18	3,353.98	5.52
Safflower.....	3,882	*	*	*
Sesame.....	9,371	*	10,123.76	*
Rape seed.....	12,231	181.65	*	*
Vegetables.....	1,646,145	43,509.79	2,706,653.80	
Lettuce.....	11,310	26.44	*	*
Head Cabbage.....	81,028	524.66	37,995.46	72.42
Ethiopian Cabbage.....	1,489,078	19,621.73	1,867,802.42	95.19
Tomatoes.....	69,496	1,270.75	194,476.94	153.04
Green peppers.....	180,095	1,493.20	130,977.72	87.72
Red peppers.....	188,553	20,521.11	472,186.89	23.01
Swiss chard.....	39,509	51.91	3,214.36	61.92
Root Crops.....	1,413,726	80,677.61	6,879,251.53	
Beetroot.....	103,098	261.49	17,440.66	66.7
Carrot.....	53,477	*	11,897.20	*
Onion.....	130,214	2,867.79	213,685.51	74.51
Potatoes.....	377,151	12,364.37	961,111.83	77.73
Garlic.....	145,102	578.25	27,630.11	47.78
Taro/Godere'.....	708,466	43,495.77	3,517,799.44	80.88
Sweet potatoes.....	537,062	20,925.15	2,129,686.78	101.78
Fruit Crops.....	1,322,585	29,631.38	2,516,908.17	84.94
Avocados.....	625,625	4,192.86	295,907.25	70.57
Bananas.....	876,457	18,809.76	1,474,531.16	78.39
Guavas.....	51,791	373.77	7,786.72	20.83
Lemons.....	55,319	196.25	16,667.84	84.93
Mangoes.....	273,203	3,467.36	307,319.02	88.63
Oranges.....	154,010	1,284.50	177,017.94	137.81
Papayas.....	262,720	1,293.56	233,629.33	180.61
Pineapples.....	6,611	13.32	*	*
Chat.....	565,345	25,050.28	283,046.11	11.3
Coffee.....	1,544,837	107,287.79	702,319.59	6.55
Hops.....	212,139	1,760.30	30,075.15	17.09
Sugar Cane.....	438,669	6,658.07	2,837,035.91	426.1
Enset.....	2,346,099	289,496.44	5,980,855.54	20.66

Table 12 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)

Gambela Region				
Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops.....	31,962	9,714.70	191,715.20	
Cereals.....	30,929	9,600.73	191,223.33	
Teff.....	*	*	*	*
Barley.....	*	*	*	*
Wheat.....	*	*	*	*
Maize.....	22,806	4,792.95	97,124.93	20.26
Sorghum.....	16,213	4,682.30	92,578.59	19.77
Finger millet.....	*	*	*	*
Oats/'Aja'.....	*	*	*	*
Rice.....	602	*	*	*
Pulses.....	5,497	88.76	242.73	
Faba beans.....	*	*	*	*
Field peas.....	*	*	*	*
Haricot beans.....	5,082	49.57	242.73	4.9
Chick-peas.....	*	*	*	*
Lentils.....	*	*	*	*
Grass Peas.....	*	*	*	*
Soya beans.....	161	*	*	*
Fenugreek.....	*	*	*	*
Gibto.....	*	*	*	*
Oilseeds.....	1,898	25.21	249.13	
Neug.....	*	*	*	*
Linseed.....	*	*	*	*
Groundnuts.....	1,089	18.34	164.32	8.96
Safflower.....	359	*	*	*
Sesame.....	*	*	*	*
Rape seed.....	*	*	*	*
Vegetables.....	8,223	133.14	9,180.27	
Lettuce.....	*	*	*	*
Head Cabbage.....	488	*	*	*
Ethiopian Cabbage.....	4,981	26.85	2,767.38	103.07
Tomatoes.....	1,304	*	*	*
Green peppers.....	2,146	32.07	3,090.06	96.35
Red peppers.....	1,330	*	*	*
Swiss chard.....	*	*	*	*
Root Crops.....	11,309	398.35	36,028.50	
Beetroot.....	181	*	*	*
Carrot.....	*	*	*	*
Onion.....	777	7.45	*	*
Potatoes.....	323	2.2	*	*
Garlic.....	543	0.76	116.36	153.11
Taro/'Godere'.....	7,472	196.44	16,131.38	82.12
Sweet potatoes.....	4,417	190.62	19,780.76	103.77
Fruit Crops.....	18,373	525.37		
Avocados.....	5,702	26.13	*	*
Bananas.....	9,348	143.73	*	*
Guavas.....	480	1.89	*	*
Lemons.....	855	1.78	*	*
Mangoes.....	10,656	236.88	*	*
Oranges.....	2,565	21.14	*	*
Papayas.....	8,422	85.65	*	*
Pineapples.....	1,406	8.17	*	*
Chat.....	2,719	102.78	*	*
Coffee.....	10,352	3,091.98	*	*
Hops.....	2,607	17.25	*	*
Sugar Cane.....	7,633	119.14	*	*
Enset.....	9,156	732.73	12,964.89	17.69

Table 13 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)

Harari

Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	18,380	9,854.52	102,192.10	
Cereals	18,297	7,834.52	90,930.62	
Teff	-	-	-	-
Barley	621	-	-	-
Wheat	3,165	246.78	4,446.21	18.02
Maize	12,549	1,425.18	18,142.19	12.73
Sorghum	17,274	6,122.81	67,760.06	11.07
Finger millet	-	-	-	-
Oats/Aja'	-	-	-	-
Rice	-	-	-	-
Pulses	-	-	-	-
Faba beans	-	-	-	-
Field peas	-	-	-	-
Haricot beans	-	-	-	-
Chick-peas	-	-	-	-
Lentils	-	-	-	-
Grass Peas	-	-	-	-
Soya beans	-	-	-	-
Fenugreek	-	-	-	-
Gibto	-	-	-	-
Oilseeds	8,249	2,018.33	11,261.48	
Neug	-	-	-	-
Linseed	-	-	-	-
Groundnuts	8,199	2,010.84	11,260.94	5.6
Safflower	-	-	-	-
Sesame	-	-	-	-
Rape seed	-	-	-	-
Vegetables	486	-	-	-
Lettuce	-	-	-	-
Head Cabbage	-	-	-	-
Ethiopian Cabbage	-	-	-	-
Tomatoes	-	-	-	-
Green peppers	-	-	-	-
Red peppers	-	-	-	-
Swiss chard	-	-	-	-
Root Crops	4,022	160.49	-	-
Beetroot	-	-	-	-
Carrot	-	-	-	-
Onion	-	-	-	-
Potatoes	551	12.36	-	-
Garlic	-	-	-	-
Taro/Godere'	-	-	-	-
Sweet potatoes	3,477	139.86	-	-
Fruit Crops	10,338	444.29	-	-
Avocados	-	-	-	-
Bananas	1,922	10.59	-	-
Guavas	3,258	13.53	-	-
Lemons	1,956	41.69	-	-
Mangoes	6,980	329.49	-	-
Oranges	324	0.32	-	-
Papayas	2,346	48.67	-	-
Pineapples	-	-	-	-
Chat	15,695	3,298.98	-	-
Coffee	1,548	-	-	-
Hops	-	-	-	-
Sugar Cane	1,956	197.48	-	-
Enset	-	-	-	-

**Table 14 - Area, Production and Yield of Crops for Private Peasant Holdings
for Meher Season 2009/2010 (2002 E.C)**

Dire Dawa				
Crop	Number of holders	Area in hectare	Production in quintal	yield (qt / ha)
Grain Crops	19,996	10,044.58	99,204.88	
Cereals	19,996	9,618.86	94,919.41	
Teff.....	-	-	-	-
Barley.....	-	-	-	-
Wheat.....	-	-	-	-
Maize.....	4,800	443.76	6,232.45	14.04
Sorghum.....	19,781	9,115.09	88,219.48	9.68
Finger millet.....	-	-	-	-
Oats/Aja'.....	-	-	-	-
Rice.....	-	-	-	-
Pulses	4,865	243.12	2,807.86	
Faba beans.....	-	-	-	-
Field peas.....	-	-	-	-
Haricot beans.....	4,762	238.45	2,807.33	11.77
Chick-peas.....	-	-	-	-
Lentils.....	-	-	-	-
Grass Peas.....	-	-	-	-
Soya beans.....	-	-	-	-
Fenugreek.....	-	-	-	-
Gibto.....	-	-	-	-
Oilseeds	2,184	-	-	-
Neug.....	-	-	-	-
Linseed.....	-	-	-	-
Groundnuts.....	-	-	-	-
Safflower.....	-	-	-	-
Sesame.....	677	16.64	163.13	9.8
Rape seed.....	-	-	-	-
Vegetables	2,399	69.67	-	-
Lettuce.....	-	-	-	-
Head Cabbage.....	-	-	-	-
Ethiopian Cabbage.....	-	-	-	-
Tomatoes.....	1,975	-	-	-
Green peppers.....	669	6.69	-	-
Red peppers.....	-	-	-	-
Swiss chard.....	-	-	-	-
Root Crops	5,979	194.42	-	-
Beetroot.....	-	-	-	-
Carrot.....	-	-	-	-
Onion.....	673	10.75	-	-
Potatoes.....	526	6.62	-	-
Garlic.....	-	-	-	-
Taro/Godere'.....	-	-	-	-
Sweet potatoes.....	5,373	143.79	-	-
Fruit Crops	5,751	93.97	-	-
Avocados.....	-	-	-	-
Bananas.....	504	1.65	-	-
Guavas.....	1,929	10.32	-	-
Lemons.....	705	-	-	-
Mangoes.....	1,839	21.75	-	-
Oranges.....	413	-	-	-
Papayas.....	2,628	34.7	-	-
Pineapples.....	-	-	-	-
Chat.....	12,164	1,199.53	-	-
Coffee.....	3,496	104.96	-	-
Hops.....	-	-	-	-
Sugar Cane.....	-	-	-	-
Enset.....	-	-	-	-

The following formulae were used to estimate total area of land under specific crop, production and yield of specific crop.

1. Estimation of Total Area of Land under Specific Crop

$$\sum_{i=1}^n W_i \sum_{j=1}^k a_{ij} = \sum_{j=1}^k W_j A_j$$

$\frac{W_i A_j}{W_j A_j}$ is the basic weight

APPENDIX I

ESTIMATION PROCEDURES OF TOTAL, RATIO AND SAMPLING ERRORS

Let n be the number of agricultural households in the i^{th} sample EA in the k^{th} stratum.
 Let a_{ij} be the area of agricultural household i in the i^{th} EA in the k^{th} stratum under a specific crop.
 Let A_j be the total area under specific crop for EA i in stratum k .
 Let A_k be the total area under specific crop in stratum k .

2. Estimation of Total Production under Specific Crop

$$\sum_{i=1}^n W_i P_i$$

$$= \sum_{j=1}^k W_j P_j$$

P_i is average yield per square meter of a specific crop in the i^{th} EA in the k^{th} stratum.
 P_j is the average yield per square meter of a specific crop in the k^{th} stratum.
 P_k is the total quantity of production of a specific crop in the k^{th} stratum.
 P_{kj} is the quantity of production of a specific crop from defined area of land for crop cutting in the i^{th} EA in the k^{th} stratum.

APPENDIX I Estimation Procedures of Totals, Ratios and Sampling Errors

The following formulas were used to estimate total area of land under specific crop, production and yield of specific crop in a stratum.

1. For estimating Total Area of Land under Specific Crop:

$$\hat{A}_h = \sum_{i=1}^{n_h} W_{hi} \sum_{j=1}^{h_{hi}} a_{hij} = \sum_{i=1}^{n_h} W_{hi} a_{hi}$$

in which, $W_{hi} = \frac{M_h H_{hi}}{n_h m_{hi} h_{hi}}$ is the basic weight.

Where:

h represents the stratum

n_h is the total number of sample EAs successfully covered in the h^{th} stratum.

M_h is the measure of size of the h^{th} stratum as obtained from the sampling frame.

m_{hi} is the measure of size of the i^{th} sample EA in the h^{th} stratum obtained from the sampling frame.

H_{hi} is the total number of agricultural households of the i^{th} sample EA in the h^{th} stratum.

h_{hi} is the number of sample agricultural households successfully covered in the i^{th} sample EA in the h^{th} stratum.

a_{hij} is the value of area for agricultural household j , in the i^{th} EA in the h^{th} stratum under a specific crop.

a_{hi} is the sample total area under specific crop for EA i in stratum h

\hat{A}_h estimate of total area under specific crop in stratum h

2. For estimating Total Production under Specific Crop:

$$\hat{P}_h = \sum_{i=1}^{n_h} W_{hi} P_{hi}$$

in which, $P_{hi} = a_{hi} * \bar{Y}_{hi}$

Where, $\bar{Y}_{hi} = \frac{Y_{hi}}{16C_{hi}}$ is average yield per square meter of a specific crop in the i^{th} EA in the h^{th} stratum.

\hat{P}_h is estimate of total quantity of production of a specific crop in the h^{th} stratum.

Y_{hi} is sample total quantity of production of a specific crop from defined area of land for crop cutting of a crop in the i^{th} EA in the h^{th} stratum.

P_{hi} is estimate of total quantity of production under specific crop for EA i in stratum h .

C_{hi} is the number of crop cutting of a specific crop in the i^{th} EA in the h^{th} stratum.

3. For estimating yield of a specific crop in stratum h :

$$\hat{Y}_h = \frac{\hat{P}_h}{\hat{A}_h}$$

4. Sampling Variance of Estimates:

Sampling variance for the estimate of stratum total of area, production and yield for a specific crop are estimated by the following formulas.

$$Var(\hat{A}_h) = (1 - f_h) \frac{n_h}{n_h - 1} \sum_{i=1}^{n_h} \left(\hat{A}_{hi} - \frac{\hat{A}_h}{n_h} \right)^2 + f_h \sum_{i=1}^{n_h} (1 - f_{hi}) \left(\frac{h_{hi}}{h_{hi} - 1} \right) \sum_{j=1}^{h_{hi}} \left(\hat{A}_{hij} - \frac{\hat{A}_{hi}}{h_{hi}} \right)^2$$

$$Var(\hat{P}_h) = (1 - f_h) \frac{n_h}{n_h - 1} \sum_{i=1}^{n_h} \left(\hat{P}_{hi} - \frac{\hat{P}_h}{n_h} \right)^2 + f_h \sum_{i=1}^{n_h} (1 - f_{hi}) \left(\frac{h_{hi}}{h_{hi} - 1} \right) \sum_{j=1}^{h_{hi}} \left(\hat{P}_{hij} - \frac{\hat{P}_{hi}}{h_{hi}} \right)^2$$

$$Var(\hat{Y}_h) = \frac{1}{\hat{A}_h^2} \left[Var(\hat{P}_h) + \hat{Y}_h^2 Var(\hat{A}_h) - 2\hat{Y}_h Cov(\hat{P}_h, \hat{A}_h) \right]$$

Where,

$$Cov(\hat{P}_h, \hat{A}_h) = (1 - f_h) \frac{n_h}{n_h - 1} \sum_{i=1}^{n_h} \left(\hat{A}_{hi} - \frac{\hat{A}_h}{n_h} \right) \left(\hat{P}_{hi} - \frac{\hat{P}_h}{n_h} \right) + f_h \sum_{i=1}^{n_h} (1 - f_{hi}) \left(\frac{h_{hi}}{h_{hi} - 1} \right) \sum_{j=1}^{h_{hi}} \left(\hat{A}_{hij} - \frac{\hat{A}_{hi}}{h_{hi}} \right) \left(\hat{P}_{hij} - \frac{\hat{P}_{hi}}{h_{hi}} \right)$$

f_h = average first stage probability of selection of EAs within stratum h .

$f_{hi} = \frac{h_{hi}}{H_{hi}}$ = average second stage probability of selection within the i^{th} sample EA in stratum h .

$\hat{A}_{hi}, \hat{P}_{hi}$ are weighted total area and production, respectively, of a specific crop in the i^{th} EA and h^{th} stratum.

$\hat{A}_{hij}, \hat{P}_{hij}$ are weighted values of area and production, respectively, from j^{th} agricultural household in the i^{th} EA and h^{th} stratum under a specific crop.

Since all strata are independent, the total variance at regional and country level is computed by aggregating the result obtained at Zone/Special Wereda level, i.e.

$$Var(\hat{A}) = \sum_h^L Var(\hat{A}_h), Var(\hat{P}) = \sum_h^L Var(\hat{P}_h) \text{ and } Var(\hat{Y}) = \sum_h^L Var(\hat{Y}_h)$$

Where, L is the number of strata (Zone/Special Wereda).

In estimating the sampling variance by the above formula, selection of EAs within a stratum is assumed to be with replacement. By so doing the variance estimate may be slightly over estimated but it greatly simplifies the estimation procedure.

5. Coefficient of Variation (CV) of Estimates:

Coefficient of Variation (CV) in percentage of estimate of stratum total of area, production and yield for a specific crop are given by:

$$CV(\hat{A}_h) = \frac{\sqrt{Var(\hat{A}_h)}}{\hat{A}_h} * 100, CV(\hat{P}_h) = \frac{\sqrt{Var(\hat{P}_h)}}{\hat{P}_h} * 100, CV(\hat{Y}_h) = \frac{\sqrt{Var(\hat{Y}_h)}}{\hat{Y}_h} * 100$$

6. Ninety-five percent confidence interval (CI) of stratum total of area:

$$\hat{A}_h \pm 1.96 * SE(\hat{A}_h)$$

Where $SE(\hat{A}_h) = \sqrt{Var(\hat{A}_h)}$ is standard error of the estimate of the stratum total of area.

Estimates of standard error and confidence interval for the other estimates can also be calculated by adopting the above formulas.

Estimate of Yield, Area, Production, Standard Error and Coefficient of Variation
For Crops 2009/2010 (2002 E.C)

Table 10

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Cereals	11,503,249	194,263	1.7	180,778,894	3,571,488	2
Cattain	9,233,025	140,870	1.5	155,342,280	3,140,945	2
Teff	2,888,861	83,067	2.9	31,783,743	1,178,297	4
Maize	1,229,112	60,708	5	17,594,436	1,291,227	7
Wheat	1,083,565	77,530	7	30,796,436	1,670,225	5
Millet	1,772,253	98,035	5.5	38,971,801	1,483,080	4
Sorghum	1,614,877	81,246	5	29,712,655	1,672,771	6
Finger millet	368,999	27,519	7.5	5,241,911	381,031	7
Oats / 'Ajai'	24,914	3,379	14	330,191	47,263	14
Rice	47,739	17,166	36	1,031,277	449,646	44
Pulses	1,489,308	45,993	3	18,980,873	691,589	4
Horse bean	512,067	21,462	4	6,108,453	280,583	5
Field peas	226,533	13,662	6	2,158,721	162,060	7
Haricot bean	244,613	19,994	8	3,628,903	343,261	9
Chick-pea	213,167	17,486	8	2,866,398	230,005	10
Lentils	105,956	10,947	10	1,237,772	171,998	14
Vetch	135,668	10,196	7.5	1,010,196	211,376	21
Soy bean	5,879	72,050	1215	40,801	78,801	19
Sesame	21,183	4,884	23	721,270	78,801	11
Cotton	280,516	10,288	3.7	6,436,144	611,538	10
Newsp	256,794	10,467	4	1,115,728	115,728	7
Linsed	140,801	13,182	9	1,009,285	202,705	14
Groundnut	41,579	10,279	25	464,248	122,703	26
Safflower	4,633	1,915	41	53,524	12,029	23
Sesame	315,841	68,020	22	2,625,343	355,933	14
Rapeseed	21,247	2,412	11	226,277	31,890	14

APPENDIX II

STANDARD ERRORS AND COEFFICIENTS OF VARIATION
OF ESTIMATES

Estimate of Holders, Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Ethiopia

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	11,503,249	194,563	2	180,758,896	3,552,486	2
<u>Cereals</u>	9,233,025	149,670	2	155,342,280	3,146,949	2
Teff	2,588,661	82,067	3	31,793,743	1,178,297	4
Barley	1,129,112	60,708	5	17,504,436	1,291,227	7
Wheat	1,683,565	77,530	5	30,756,436	1,670,225	5
Maize	1,772,253	58,635	3	38,971,631	1,485,080	4
Sorghum	1,618,677	81,246	5	29,712,655	1,672,773	6
Finger millet	368,999	22,519	6	5,241,911	381,031	7
Oats / 'Aja'	24,018	3,379	14	330,191	47,263	14
Rice	47,739	17,166	36	1,031,277	449,646	44
<u>Pulses</u>	1,489,308	45,993	3	18,980,473	691,569	4
Horse beans	512,067	21,462	4	6,108,453	280,565	5
Field peas	226,533	13,662	6	2,358,721	162,060	7
Haricot beans	244,013	19,994	8	3,628,903	343,261	9
Chick-peas	213,187	17,480	8	2,846,398	280,005	10
Lentils	105,956	10,947	10	1,237,772	171,998	14
Vetch	135,658	13,692	10	2,040,196	231,336	11
Soya beans	5,679	1,782	31	72,050	40,801	57
Fenugreek	21,183	4,184	20	271,220	78,895	29
Gibto	25,033	5,609	22	416,759	98,200	24
<u>Oilseeds</u>	780,916	71,283	9	6,436,144	611,558	10
Neug	256,794	17,334	7	1,578,467	115,728	7
Linseed	140,801	13,182	9	1,506,285	205,765	14
Groundnuts	41,579	10,279	25	464,248	122,765	26
Safflower	4,653	1,015	22	55,524	12,629	23
Sesame	315,843	68,020	22	2,605,343	555,935	21
Rape seed	21,247	2,515	12	226,277	31,890	14

Estimate of Holders, Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Tigray

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	856,330	38,862	5	11,486,773	653,117	6
<u>Cereals</u>	693,967	31,386	5	9,625,716	512,906	5
Teff	187,859	15,598	8	2,039,994	186,522	9
Barley	106,788	10,393	10	1,440,496	165,292	11
Wheat	113,596	12,201	11	1,771,644	202,163	11
Maize	64,649	5,961	9	822,298	90,958	11
Sorghum	155,421	17,686	11	2,808,587	338,663	12
Finger millet	64,612	6,986	11	741,606	125,228	17
Oats / 'Aja'	256	174	68	1,091	838	77
Rice	787	715	91	-	-	-
<u>Pulses</u>	63,798	6,135	10	794,860	100,579	13
Horse beans	19,727	2,699	14	249,056	43,458	17
Field peas	8,331	1,873	22	108,253	28,094	26
Haricot beans	4,076	1,916	47	46,855	21,155	45
Chick-peas	13,549	3,121	23	177,803	50,989	29
Lentils	7,910	1,940	25	95,617	32,639	34
Vetch	9,459	2,419	26	113,403	28,812	25
Soya beans	55	38	69	-	-	-
Fenugreek	691	266	38	3,872	1,272	33
Gibto	-	-	-	-	-	-
<u>Oilseeds</u>	98,566	13,605	14	1,066,197	160,912	15
Neug	6,744	1,620	24	63,790	17,632	28
Linseed	13,148	2,000	15	116,743	19,314	17
Groundnuts	510	465	91	10,416	10,251	98
Safflower	15	13	88	502	494	99
Sesame	78,053	13,850	18	874,746	163,358	19
Rape seed	96	80	84	-	-	-

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Afar

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	6,057	1,647	27	143,694	39,180	27
<u>Cereals</u>	5,697	1,499	26	142,052	39,120	28
Teff	1,619	961	59	5,253	2,963	56
Barley	1	1	99	-	-	-
Wheat	-	-	-	-	-	-
Maize	3,499	983	28	128,964	38,632	30
Sorghum	578	287	50	7,835	3,554	45
Finger millet	-	-	-	-	-	-
Oats / 'Aja'	-	-	-	-	-	-
Rice	-	-	-	-	-	-
<u>Pulses</u>	167	86	51	960	600	63
Horse beans	-	-	-	-	-	-
Field peas	-	-	-	-	-	-
Haricot beans	122	62	50	893	572	64
Chick-peas	45	28	64	67	43	64
Lentils	0	0	99	-	-	-
Vetch	-	-	-	-	-	-
Soya beans	-	-	-	-	-	-
Fenugreek	-	-	-	-	-	-
Gibto	-	-	-	-	-	-
<u>Oilseeds</u>	192	118	61	683	368	54
Neug	8	7	92	-	-	-
Linseed	3	3	92	-	-	-
Groundnuts	0	0	99	-	-	-
Safflower	13	9	67	120	74	61
Sesame	167	108	65	562	314	56
Rape seed	-	-	-	-	-	-

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Amhara

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	3,997,750	130,477	3	57,105,218	1,875,770	3
<u>Cereals</u>	2,986,622	81,429	3	46,301,972	1,492,804	3
Teff	1,001,028	53,215	5	12,860,563	719,137	6
Barley	387,862	31,470	8	5,067,684	480,331	9
Wheat	548,315	35,766	7	8,960,927	663,379	7
Maize	355,508	23,517	7	8,010,694	617,166	8
Sorghum	486,468	55,572	11	7,922,461	1,038,422	13
Finger millet	164,321	18,023	11	2,495,093	307,110	12
Oats / 'Aja'	8,743	1,889	22	123,639	27,914	23
Rice	34,376	16,914	49	860,911	448,296	52
<u>Pulses</u>	694,672	33,474	5	8,541,004	462,643	5
Horse beans	232,535	16,742	7	2,602,238	204,515	8
Field peas	108,469	10,579	10	1,060,384	107,746	10
Haricot beans	51,247	11,492	22	852,207	204,399	24
Chick-peas	113,337	12,090	11	1,456,409	176,099	12
Lentils	62,827	8,064	13	620,626	93,479	15
Vetch	85,262	11,730	14	1,288,389	203,987	16
Soya beans	1,866	1,573	84	41,077	40,058	98
Fenugreek	14,236	3,499	25	204,364	77,031	38
Gibto	24,891	5,609	23	415,311	98,191	24
<u>Oilseeds</u>	316,456	66,134	21	2,262,242	530,191	23
Neug	75,304	9,547	13	511,091	74,463	15
Linseed	31,961	3,707	12	184,697	23,312	13
Groundnuts	2,981	1,716	58	38,856	27,045	70
Safflower	4,014	981	24	43,548	10,890	25
Sesame	185,782	66,145	36	1,296,605	527,694	41
Rape seed	16,415	2,269	14	187,445	30,698	16

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Oromia

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	5,348,593	132,579	2	90,712,996	2,812,199	3
<u>Cereals</u>	4,466,528	115,126	3	80,538,211	2,587,800	3
Teff	1,182,811	57,500	5	14,368,405	870,391	6
Barley	542,476	50,241	9	9,685,632	1,178,788	12
Wheat	857,603	65,998	8	16,782,415	1,484,202	9
Maize	1,000,056	48,225	5	23,255,330	1,201,463	5
Sorghum	754,878	55,248	7	14,656,767	1,239,063	8
Finger millet	105,611	10,537	10	1,471,754	168,561	11
Oats / 'Aja'	14,147	2,781	20	193,557	37,884	20
Rice	8,945	1,280	14	124,349	10,945	9
<u>Pulses</u>	559,780	29,780	5	7,474,028	487,527	7
Horse beans	205,520	12,422	6	2,649,528	178,399	7
Field peas	77,397	7,868	10	892,812	113,742	13
Haricot beans	114,707	15,171	13	1,559,665	252,991	16
Chick-peas	79,405	12,063	15	1,141,575	209,399	18
Lentils	34,248	7,142	21	514,696	140,627	27
Vetch	40,673	6,634	16	636,171	105,232	17
Soya beans	1,739	661	38	18,327	7,336	40
Fenugreek	6,054	2,279	38	61,254	16,974	28
Gibto	37	34	91	-	-	-
<u>Oilseeds</u>	322,285	22,542	7	2,700,756	253,495	9
Neug	163,785	14,249	9	950,343	86,321	9
Linseed	92,675	12,478	13	1,183,155	203,439	17
Groundnuts	26,655	9,878	37	240,285	109,053	45
Safflower	481	255	53	9,381	6,241	67
Sesame	34,154	7,310	21	279,719	59,538	21
Rape seed	4,535	1,079	24	37,873	8,622	23

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Somale

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	69,789	8,325	12	1,172,662	158,774	14
<u>Cereals</u>	67,095	8,198	12	1,105,200	152,347	14
Teff	-	-	-	-	-	-
Barley	3,016	1,189	39	18,460	9,209	50
Wheat	4,364	1,917	44	72,245	34,151	47
Maize	26,999	3,827	14	440,832	88,295	20
Sorghum	32,705	5,748	18	573,535	104,575	18
Finger millet	-	-	-	-	-	-
Oats / 'Aja'	12	10	81	127	103	81
Rice	-	-	-	-	-	-
<u>Pulses</u>	576	182	32	8,591	3,594	42
Horse beans	-	-	-	-	-	-
Field peas	-	-	-	-	-	-
Haricot beans	432	166	39	6,898	3,501	51
Chick-peas	125	73	58	1,692	1,147	68
Lentils	12	12	96	-	-	-
Vetch	-	-	-	-	-	-
Soya beans	-	-	-	-	-	-
Fenugreek	7	6	84	-	-	-
Gibto	-	-	-	-	-	-
<u>Oilseeds</u>	2,119	1,474	70	58,871	42,191	72
Neug	-	-	-	-	-	-
Linseed	17	12	71	-	-	-
Groundnuts	1,878	1,412	75	58,870	42,191	72
Safflower	-	-	-	-	-	-
Sesame	223	170	76	1	1	101
Rape seed	-	-	-	-	-	-

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Benishangul - Gumuz

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	188,392	10,091	5	3,252,673	206,305	6
<u>Cereals</u>	148,213	8,362	6	2,845,688	198,741	7
Teff	18,632	3,128	17	182,565	34,851	19
Barley	874	357	41	9,393	4,281	46
Wheat	3,725	1,980	53	74,381	43,297	58
Maize	35,953	3,816	11	801,219	82,770	10
Sorghum	59,963	5,876	10	1,327,810	136,226	10
Finger millet	28,392	4,508	16	442,685	79,436	18
Oats / 'Aja'	88	37	42	647	361	56
Rice	585	240	41	6,989	3,429	49
<u>Pulses</u>	7,288	1,031	14	109,627	16,170	15
Horse beans	625	199	32	8,223	2,769	34
Field peas	660	305	46	7,933	4,229	53
Haricot beans	4,303	1,024	24	79,977	16,531	21
Chick-peas	237	72	30	1,194	473	40
Lentils	47	21	46	268	163	61
Vetch	-	-	-	-	-	-
Soya beans	1,321	292	22	10,573	2,175	21
Fenugreek	7	3	44	11	6	57
Gibto	89	81	92	1,448	1,327	92
<u>Oilseeds</u>	32,891	2,887	9	297,358	29,987	10
Neug	10,724	1,904	18	51,070	9,034	18
Linseed	607	353	58	2,629	1,441	55
Groundnuts	6,753	1,638	24	99,727	23,551	24
Safflower	47	18	39	435	193	44
Sesame	14,741	1,703	12	143,338	18,646	13
Rape seed	19	11	61	159	94	59

Estimate of Holders, Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

S.N.N.P.R.

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	1,006,725	39,585	4	16,491,769	834,608	5
<u>Cereals</u>	837,850	37,283	4	14,406,368	806,262	6
Teff	196,702	18,518	9	2,336,962	278,624	12
Barley	88,038	7,831	9	1,282,189	139,937	11
Wheat	155,661	14,815	10	3,089,910	320,639	10
Maize	278,928	22,208	8	5,390,794	596,925	11
Sorghum	108,744	8,850	8	2,167,102	199,882	9
Finger millet	6,020	1,464	24	89,981	21,499	24
Oats / 'Aja'	769	288	37	11,128	4,310	39
Rice	2,988	2,526	85	38,303	32,877	86
<u>Pulses</u>	162,695	8,319	5	2,048,352	127,106	6
Horse beans	53,628	4,325	8	599,407	56,283	9
Field peas	31,672	3,037	10	289,340	30,164	10
Haricot beans	68,837	5,728	8	1,079,358	106,350	10
Chick-peas	6,488	2,034	31	67,658	30,702	45
Lentils	912	211	23	6,565	1,963	30
Vetch	258	144	56	2,233	1,234	55
Soya beans	696	419	60	2,073	1,258	61
Fenugreek	186	58	31	1,718	961	56
Gibto	17	16	95	-	-	-
<u>Oilseeds</u>	6,181	1,911	31	37,049	7,989	22
Neug	229	211	92	2,172	2,132	98
Linseed	2,385	458	19	19,062	5,776	30
Groundnuts	607	271	45	3,354	1,463	44
Safflower	81	60	74	1,537	1,288	84
Sesame	2,696	1,833	68	10,124	4,888	48
Rape seed	182	80	44	800	466	58

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Gambela

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	9,715	1,051	11	191,715	22,355	12
<u>Cereals</u>	9,601	1,052	11	191,223	22,359	12
Teff	10	8	81	1	1	95
Barley	9	5	56	-	-	-
Wheat	6	6	94	-	-	-
Maize	4,793	705	15	97,125	17,408	18
Sorghum	4,682	767	16	92,579	15,405	17
Finger millet	42	38	91	793	721	91
Oats / 'Aja'	0	0	95	-	-	-
Rice	58	39	67	726	561	77
<u>Pulses</u>	89	32	37	243	60	25
Horse beans	33	28	83	-	-	-
Field peas	3	3	94	-	-	-
Haricot beans	50	13	25	243	60	25
Chick-peas	-	-	-	-	-	-
Lentils	-	-	-	-	-	-
Vetch	2	2	103	-	-	-
Soya beans	1	1	95	-	-	-
Fenugreek	-	-	-	-	-	-
Gibto	-	-	-	-	-	-
<u>Oilseeds</u>	25	6	24	249	78	31
Neug	-	-	-	-	-	-
Linseed	-	-	-	-	-	-
Groundnuts	18	5	29	164	50	31
Safflower	0	0	52	0	0	52
Sesame	6	4	58	84	69	82
Rape seed	0	0	102	-	-	-

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Harari

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	9,855	751	8	102,192	10,980	11
<u>Cereals</u>	7,835	569	7	90,931	11,685	13
Teff	-	-	-	-	-	-
Barley	35	24	69	582	456	78
Wheat	247	94	38	4,446	2,105	47
Maize	1,425	183	13	18,142	3,601	20
Sorghum	6,123	507	8	67,760	8,341	12
Finger millet	1	1	96	-	-	-
Oats / 'Aja'	3	3	96	-	-	-
Rice	-	-	-	-	-	-
<u>Pulses</u>	2	2	96	-	-	-
Horse beans	-	-	-	-	-	-
Field peas	-	-	-	-	-	-
Haricot beans	-	-	-	-	-	-
Chick-peas	2	2	96	-	-	-
Lentils	-	-	-	-	-	-
Vetch	-	-	-	-	-	-
Soya beans	-	-	-	-	-	-
Fenugreek	-	-	-	-	-	-
Gibto	-	-	-	-	-	-
<u>Oilseeds</u>	2,018	403	20	11,261	2,102	19
Neug	-	-	-	-	-	-
Linseed	5	5	99	-	-	-
Groundnuts	2,011	403	20	11,261	2,102	19
Safflower	-	-	-	-	-	-
Sesame	3	2	92	1	0	92
Rape seed	-	-	-	-	-	-

Estimate of Holders Area, Production, Standard Errors and Coefficient of Variations
For Crops 2009/2010 (2002 E.C)

Dire Dawa

Crop	Area	Standard Error	CV %	Production	Standard Error	CV %
Grain	10,045	802	8	99,205	10,930	11
<u>Cereals</u>	9,619	778	8	94,919	10,568	11
Teff	-	-	-	-	-	-
Barley	12	7	57	-	-	-
Wheat	48	39	80	467	375	80
Maize	444	160	36	6,232	2,736	44
Sorghum	9,115	827	9	88,219	10,680	12
Finger millet	-	-	-	-	-	-
Oats / 'Aja'	-	-	-	-	-	-
Rice	-	-	-	-	-	-
<u>Pulses</u>	243	65	27	2,808	780	28
Horse beans	-	-	-	-	-	-
Field peas	-	-	-	-	-	-
Haricot beans	238	65	27	2,807	780	28
Chick-peas	-	-	-	-	-	-
Lentils	-	-	-	-	-	-
Vetch	4	4	97	-	-	-
Soya beans	-	-	-	-	-	-
Fenugreek	1	1	68	1	0	68
Gibto	-	-	-	-	-	-
<u>Oilseeds</u>	183	101	55	1,478	849	57
Neug	-	-	-	-	-	-
Linseed	-	-	-	-	-	-
Groundnuts	166	101	61	1,314	855	65
Safflower	-	-	-	-	-	-
Sesame	17	5	32	163	58	36
Rape seed	-	-	-	-	-	-

Appendix III(a). Number of Plots and Households (Number of Households) of the 2009/10 (2002 H.C.) Survey

Region	Number of Plots		Number of Households	
	Sampled	Covered	Sampled	Covered
Tigray	112	100	112	100
Afar	37	35	37	35
Amhara	228	215	228	215
Oromia	472	450	472	450
Southern	72	70	72	70
Benishangul-Gumuz	30	28	30	28
SNNP	130	125	130	125
Gambella	18	17	18	17
Harari	25	24	25	24
Other Areas	2	2	2	2
Country Total	1106	1066	1106	1066

APPENDIX III

NUMBER OF EAs SAMPLED AND COVERED
 NUMBER OF HOUSEHOLDS SAMPLED AND COVERED
 NUMBER OF FIELDS MEASURED AND CROP-CUTTINGS PERFORMED

Appendix III(a). Number of Planned and Actually Covered Sampling Units (EAs & Households) of the 2009/10 (2002 E.C.) Annual Agricultural Sample Survey (Meher Season).

Region	Enumeration Areas		Households	
	Planned	Covered	Planned	Covered
Tigray	152	152	3040	3040
Afar	49	48	980	937
Amhara	336	336	6720	6720
Oromia	452	452	9040	9040
Somali	72	70	1440	1353
Benishangul-Gumuz	90	90	1800	1800
SNNP	380	380	7600	7600
Gambela	81	59	1620	1180
Harari	24	24	480	480
Dire Dawa	24	24	480	480
Country Total	1660	1635	33200	32630

QUESTIONNAIRE

CENTRAL STATISTICAL AUTHORITY
ETHIOPIAN AGRICULTURAL SAMPLE SURVEY 2009/2010 (2002 E.C)

PART I - IDENTIFICATION PARTICULARS

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Region	Zone	Wereda	PA/ RESTAR	EA LOCAL	HH ID	HH HEAD SEX 1=M 2=F	HOLDER ID	HOLDER'S		SEX M=1 F=2	HIGHEST GRADE COMPLETED	HOLDER'S HH SIZE	FARMING TYPE CROP=1 LIVEST=2 BOTH=3
								NAME	AGE				

PART II - CROP FIELD / OTHER LAND USE

15	16	17	
		PARCEL NO.	FIELD NO.
		IS THE FIELD PURE STAND =1 MIXED CROP =2 OTHER LAND USE=3	
SER. NO.	QUESTIONS FOR THE HOLDER	CROP/OTHER NAME	CROP NAME
		CODE	CODE
0 1	Ownership Own = 1 Rented in = 2 Other = 3		
0 2	Is field under Extension Program? Yes = 1 No = 2		
0 3	Is Field Irrigated? Yes = 1 No = 2		
0 4	If Field Irrigated source of water River = 1 Lake = 2 Pond = 3 Harvested water = 4 other = 5		
0 5	Is Field Prevented form Erosion Yes = 1 No = 2		
0 6	If yes in #5, common way of prevention Terracing = 1 Other = 5 Water catchments = 2 Afforestation = 3 Plough along the cont. = 4		
0 7	Percent share of mixed crops		
0 8	Number of Fruit Trees (excluding coffee, chat, pineapple, sugarcane)		
0 9	Number of Fruit Bearing Trees (excluding coffee, chat, pineapple, sugarcane)		
1 0	Seed / Seedling Type Improved Seed = 1 indigenous seed = 2		
1 1	For Cereals, Pulses & Oilseeds only Quantity of improved seeds used	Kilo	Gram
1 2	For Cereals, Pulses & Oilseeds only Price of improved seeds used	Birr	Cents
1 3	For Cereals, Pulses & Oilseeds only Quantity of indigenous seeds used	Kilo	Gram
1 4	Was crop damaged? Yes = 1 No = 2		
1 5	If yes in question number 14, Cause of damage Code		
1 6	Percent of damaged crop		
1 7	Prevention/precaution measure taken? Yes = 1 No = 2		
1 8	Type of measure if any? Chemical = 1 Non - chemical = 2 Both = 3		
1 9	Chemical type used if any Pesticide = 1 herbicide = 2 Fungicide = 3 1 & 2 = 4 1 & 3 = 5 2 & 3 = 6 All = 7		
2 0	Is Fertilizer Used? Yes = 1 No = 2		
2 1	Type of fertilizer used if any? Natural = 1 Chemical = 2 Both = 3		
2 2	If chemical fertilizer used 22.1 Type UREA = 1 DAP = 2 Both = 3		
	22.2 Quantity of chemical fertilizer used	Kilo	Gram
2 3	If natural fertilizer used, type Manure = 1 Compost = 2 Organic = 3 1 & 2 = 4 1 & 3 = 5 2 & 3 = 6 All = 7 others = 8		
2 4	How often is temporary crop field used in Meher (main) season?		
2 5	If twice in #24 which crop is the 2 nd harvest?	Crop name	code
2 6	What was the previous state of the field? Fallow = 1 crop field = 2 Virgin = 3 Rented in cropfield = 4 other = 5	Crop name	code

CENTRAL STATISTICAL AUTHORITY
ETHIOPIAN AGRICULTURAL SAMPLE SURVEY 2009/10 (2002 E.C)

PART I – IDENTIFICATION PARTICULARS

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Region	Zone	Wereda	PA/ REST.AR	EA LOCAL	HH ID	HH HEAD SEX 1=M 2=F	HOLDER ID	HOLDER'S NAME		SEX M=1 F=2	HIGHEST GRADE COMPLETED	HOLDER'S HH SIZE	FARMING TYPE CROP-1 LIVEST-2 BOTH-3
									AGE				

PART II – MISCELLANEOUS QUESTIONS FOR THE HOLDER

15	16	17
SER.NO.	QUESTIONS	CODE
1	Do you exercise crop rotation on your land holding? Yes = 1 No = 2	
2	Reason for not using chemical fertilizers on any one of your crop fields Ignorance = 1 High price = 2 Lack of Money = 3 Non – availability of supply = 4 lack of credit service = 5 Skeptical of the outcome = 6 Others (specify) = 7	
3	Reason for not participating in Extension Program Ignorance = 1 Lack of Money = 2 Skeptical of the outcome = 3 Non – availability of the program = 4 Lack of adequate crop fields = 5 Others (specify) = 6	
4	Do you get credit services? Yes = 1 No = 2	
5	If no in # 4 Why? Non availability of the service = 1 Unable to pay the loan = 2 Inadequate services provided = 3 Ignorance = 4 Does not yield any results = 5 Others = 6	
6	Do you get advisory services? Yes = 1 No = 2	
7	If no in # 6 Why? Non availability of the service = 1 Inadequate services provided = 2 Inadequate services provided = 2 Ignorance = 3 Does not yield any results = 4 Others = 5	
8	Your major supplier of fertilizer is Government organizations = 1 Private organizations = 2 Merchants = 3 Others (Specify) = 4 Never used fertilizer = 5	
9	How many oxen do you have in this Meher season?	
10	If you have one or no ox how do you plough? By renting ox = 1 By pairing mine with someone's ox = 2 By pairing mine with cow/ horse = 3 Using horses or cows = 4 Hand digging = 5 Using borrowed oxen = 6 others = 7	
11	Total number of fields recorded for the holder	
12	Total number of crop fields recorded for the holder	
13	Has the holder ploughed additional fields over that of the previous year? Yes = 1 No = 2	
14	If yes in question # 13, what was the previous state of the additional fields? Holder's virgin land = 1 Public/ Community virgin land = 2 Borrowed fallow land = 3 Other = 4	

